## INDEX

TO THE

## QUARTERLY JOURNAL OF MICROSCOPICAL SCIENCE

Volumes 62–87 inclusive
November 1916 to December 1946 inclusive

PREPARED BY
HELEN PIXELL GOODRICH, M.A., D.Sc.

Published for the Company of Biologists Ltd.

OXFORD: AT THE CLARENDON PRESS

LONDON: GEOFFREY CUMBERLEGE

1947

## PREFACE

THE arrangement of this Index of Volumes 62-87, inclusive, follows closely that of the two previous ones, namely, Volumes 1-28 and 29-61.


Authors and subjects are in the same alphabetical series—the former printed in capital letters. If an author has more than one paper they are numbered chronologically in brackets; the title of papers by two or more authors is given in full for the first-named author only.

Where there is more than one author with the same surname, direct references are given to all except the author with the longest series of papers, which are treated in the usual way.

Numbers referring to volumes are printed in heavy type, those

referring to pages in ordinary type.

H. P. G.



## INDEX TO VOLUMES 62-87

Abraxas; chromosomes and sex-determination, Doncaster (2).

Acipenser; bony skull development,

Sewertzoff, de Beer (9).

- pronephros development, Fraser (1). Acontia of Actiniaria, Stephenson (1). Acrosome; development, Gatenby (14).

- origin, Wu.

Actinian larva, parasitic in a Rhizostome, Badham (2).

Actiniaria, classification, Stephenson (1-3). Actinomyxidia, chromosome cycle,

Naville.

- life-history of Triactinomyxon, Mackinnon (2).

Actinopterygii, denticles in fossil, Goodrich (19).

Actinozoa;

Alcyonium development,

Matthews.

(1-3).

- Actiniaria, classification, Stephenson

- Arachnactis albida, Bourne (3). - Bolocera, development, Gemmill (4).

- Phelliinae from New Guinea, Bourne (I).

ADAM, D. I. See Mackinnon (1, 2).

Adaptation, Evans.

ADELMANN, H. B. See Kingsbury.

Adrenal gland; development in mouse, Waring.

- development in cat, Davies, 80, 81.

- innervation in Mammals, Willard. AGAR, W. E. The Male Meiotic Phase in two Genera of Marsupials (Macropus and Petauroides), 67, 183-202, pls. 12-

14. Age, determination of, in bees, Pixell

Goodrich (1).

AGERSBORG, H. P. K. (1) The Morphology of the Nudibranchiate Mollusc Melibe (syn. Chioraera leonina, Gould), 67, 507-92, pls. 27-38.

- (2) Studies on the Effect of Parasitism upon the Tissues. I. With Special Reference to certain Gasteropod Molluscs, 68, 361-402, pls. 12-21.

Agrion, genitalia, George, 72, 447.

Alcyonium digitatum, development, Matthews.

ALEXANDROWICZ, J. S. (1) The Innervation of the Heart of Crustacea. I. Decapoda, 75, 181-250, pls. 13-15.

- (2) The Innervation of the Heart of Crustacea. II. Stomatopoda, 76, 511-

48, pl. 31.

Alimentary canal; Aplysia, Howells.

- Coccinellids, Pradham.

ALLIS, E. P. (1) The So-called Labial Cartilages of Raia clavata, 62, 05-114, pl. 6.

— (2) The Homologies of the Muscles related to the Visceral Arches of the Gnathostome Fishes, 62, 303-406, pls.

Alma; clitellum, Grove (5).

Alstroemeria, root-tip chromosomes, Tane.

ALTMANN, S. C. A., and ELLERY, M. E. W. The Chromosomes of Four Species of Marsupials, 69, 463-70, pls. 37, 38.

Amia; hypophysis, de Beer (2).

- head development, de Beer (4). Amoeba; cannibalism, Lapage (1).

- discoides, culture and life-history, Hayes (1, 2).

- lescherae, n.sp., Taylor (5).

- proteus; Parsons.

— cytology, Singh (2).

— — life-history and culture, Taylor (3).

— — nuclear division, idem (2).

- vespertilio, Hyman.

Amoebae from Termites, Kirby (1). Amoebocytes; Ostrea edulis, Takatsuki.

- Helix, Haughton.

Amphibia; blastocoelic and enteric cavities, Goodrich (6), Rao (1).

— development, kidney, Gray (2-4).

- Golgi element, tissues, Pollister, 81,

\_ \_ \_ thyroid, Uhlenhuth.

- olfactory organ, Tsui (1-5).

- Proteus, eyes, Hawes.

— See also Anura.

Amphibola; development, Farnie.

Amphilina paragonopora, sp.n., Woodland (2).

Amphioxus; collar cavities of larva, Smith, 62, 243.

— club-shaped gland, Goodrich (10).

— early development of Nephridia, Goodrich (12, 14, 15).

— nervous system, Boeke.

— See also Branchiostoma and Asymmetron.

Amussium gills, Atkins (7).

Anilocra, chromosomes, Callan.

Anopheles; development of ovary, Nicholson.

Anoplophyra, cytology, King (4).

Antennae; Insects and other Arthropods, Imms (2).

- growth, Imms (3).

Anura; Frog, mandibular arch, Pusey (1, 2).

— Cacosternum and Phrynomerus, de Villiers (1, 2).

- Xenopus, head, Paterson (2).

- See also Rana.

Anus and enteroproct, Goodrich (16). Apanteles, germ-cell determinant of,

Gatenby (11).
Apis; age, Pixell Goodrich (1).

- alimentary canal, Pavlovsky (4).

— muscles, Morison (1-3).

Aplysia; alimentary canal, Howells.

Arachaetis albida, Bourne (3).

Arcella, Bles.

Archipsocus fernandi, n.sp., Fernando (2).

Archotermopsis, flagellates in hind gut, Cutler (1-3).

Arenicola; Gregarine in egg of, Goodrich (5).

Argulus, development, Pyatakov. Arion, mucous and skin glands, Barr (2). Arthropoda; antennal musculature, Imms (2).

— See also Crustacea, Insecta. Artioposthia triangulata (Dendy),

reproductive system, Fyfe. Asana, J. J. See Simkins.

Ascaphus head, Pusey (2).

Ascaris suilla, cytoplasmic components in fertilization, Collier.
Ascorbic Acid in chick cells, Barnett.

Asellus, anatomy, Needham (2-5).

Asexual reproduction in Phoronopsis Gilchrist (3).

Aspidiotus relationship with Septo basidium, Couch.

Astasia, structure and osmiophilic in clusions, Smyth (2).

Astraeidae, histology, Matthai.

Asymmetron, nephridia compare with Branchiostoma, Goodrich (12).

ATKINS, D. (1) The Loxosomatidae of the Plymouth Area, including Lobesum, sp.nov., 74, 321-91.

— (2) The Ciliary Feeding Mechanism of the Entoproct Polyzoa, and a Comparison with that of the Ectoproc Polyzoa, 74, 393–424.

— (3) On the Ciliary Mechanisms and Interrelationships of Lamellibranchs Part I: Some New Observations of Sorting Mechanisms in certain Lamellibranchs, 79, 181–308, pls. 10, 11.

—— (4) Part II. Sorting Devices of

the Gills, **79**, 339–73.

—— (5) Part III. Types of Lamelli branch Gills and their Food Currents.

— — (6) Part IV. Cuticular Fusion, with Special Reference to the Fourth Aperture in certain Lamellibranchs, 79, 423–445

— — (7) Part V. Note on the Gills of Amussium pleuronectes, 80, 321 30.

of the Gill Filaments and their Phylogenetic Value, 80, 345-436, pl. 29.

— (10) Part VIII. Notes on Gi Musculature in the Microciliobranchia 84, 187–256, pl. 15.

Atlantidae, mantle cavity currents, Yong

(4).

Atrium; Microdrili, Mehra (2).

Aumonier, F. J. Development of the Dermal Bones in the Skull of Lepi dosteus osseus, 83, 1-34, pls. 1-8. Aurelia; strobilization, Percival (1).

- effects of starvation, de Beer (8).

Auricularia bermudensis, n.sp Garstang (3).

Austrobdella translucens, n.gen n.sp., a leech parasitic on Sand Whiting Badham (1). Autolytus, feeding habits, Okada.

Autotomy; tails of Gecko, &c., Woodland (1).

AYKROYD, OLIVE E., and GATENBY, J. B. Cytology of Human Uterine Glands in Gravid and Non-Gravid Phases, 82, 541–62, pls. 23–6.

Baccalaureus maldivensis, n.sp., Pyefinch (1, 2).

Bacterial cell-mass in Weevil, Mansour (2).

BADHAM, C. (1) An Ichthyobdellid parasitic on Australian Sand Whiting (Sillago ciliata), 62, 1-41, pls. 1, 2.

— (2) A Larval Actinian parasitic in a Rhizostome, **62**, 221–9.

— (3) On Centropygus joseensis, a Leech from Brazil, 67, 243-56.

Bahl, K. N. (1) On a New Type of Nephridia found in Indian Earth worms of the Genus Pheretima, **64**, 67–119, pls. 6–8.

— (2) On the Blood-vascular System of the Earthworm, Pheretima, and the course of the Circulation in Earth-

worms, 65, 349-93.

— (3) On the Development of the 'Enteronephric' type of Nephridial System found in Indian Earthworms of the genus Pheretima, **66**, 49–104, pls. 5–7.

 (4) On the Occurrence of the 'Enteronephric' Type of Nephridial System in Earthworms of the Genus Lampito,

68, 67-100, pl. 2.

- (5) The Enteronephric System in Woodwardia, with Remarks on the Nephridia of Lampito dubius, 70,

113-34, pls. 10, 11.

— (6) On the Reproductive Processes of Earthworms. I. The process of copulation and exchange of Sperms in Eutyphoeus waltoni Mich., 71, 479–502,

— (7) and LAL, M. B. On the Occurrence of 'Hepato-pancreatic Glands' in the Indian Earthworms of the Genus Eutyphoeus Mich., 76, 107–28, pls. 9,

IO.

— (8) On the Significance of the Enteronephric Nephridial System found in Indian Earthworms. I. Evidence from their Habits and Castings, **76**, 559–72.

BAHL, K. N. (9) The Enteronephric Type of Nephridial System in the Genus Tonoscolex (Gates), 82, 443-66.

— (10) Studies on the Structure, Development, and Physiology of the Nephridia of Oligochaeta. Part I. General Introduction, and the Nephridia of the Subfamily Octochaetinae, 83, 423–49.

— (11) II. Multiple Funnels of the

Nephridia, 83, 450-58.

— (12) III. The Branching and Division of Nephridia, and Eisen's so-called 'safety valves' in Pontoscolex, 84, 1-17.

— (13) IV. The Enteronephric System in Megascolex cochinensis, with Remarks on Vestigial Nephridia, 84,

18-34.

— (14) V. The Enteronephric System in Megascolex ceylonicus and Megascolex sarasinorum, with Remarks on the Phagocytic Organs in Megascolex templetonianus, 85, 177–90.

— (15) VI. The Physiology of Excretion and the Significance of the Enteronephric Type of Nephridial System in Indian Earthworms, 85, 343–89.

— (16) VII. The Enteronephric Type of Nephridial System in Earthworms belonging to Three Species of Megascolex Templeton and Three Other Species of Travoscolides Gates (Megascolides McCoy), 87, 45-60.

— (17) VIII. Biochemical Estimations of Nutritive and Excretory Substances in the Blood and Coelomic Fluid of the Earthworm and their Bearing on the Role of the Two Fluids in Metabolism, 87, 357–71.

BAITSELL, G. A. On the Origin of the Connective-tissue Ground-substance in the Chick Embryo, **69**, 571–90, pls.

44-7.

Baker, J. R. (1) On the Descended Testes of Sex-intergrade Pigs, **69**, 689-702.

— (2) The Free Border of the Intestinal Epithelial Cell of Vertebrates, **84**, 73–

103, pls. 3-5.

— (3) The Structure and Chemical Composition of the Golgi Element, 85, 1–72, pls. 1, 2.

— (4) The Histochemical Recognition of Lipine, 87, 409–70, pl. 10.

BAPTIST, B. A. The Morphology and Physiology of the Salivary Glands of Hemiptera-Heteroptera, 83, 91–139.

BARNETT, S. A., and BOURNE, G. Distribution of Ascorbic Acid (vitamin C) in Cells and Tissues of the Developing Chick, 83, 259–98, pls. 14, 15.

BARR, R. A. (1) Some Observations on the Pedal Gland of Milax, 70, 647–68,

pls. 33, 34.

— (2) Some Notes on the Mucous and Skin Glands of Arion ater, 71,

503-26, pls. 38-9.

BARRINGTON, E. J. W. (1) The Structure and Development of the Tail in the Plaice (Pleuronectes Platessa) and the Cod (Gadus morrhua), 79, 447-70.

— (2) Observations on Feeding and Digestion in Glossobalanus minu-

tus, 82, 227-60.

— (3) The Supposed Pancreatic Organs of Petromyzon fluviatilis and Myxine glutinosa, 85, 391-417.

Bathynella and some allied Crus-

tacea, Calman, 62, 489.

BAXTER, E. W. See Newell, 79, 123. Bdellostoma, eggs and embryos, Gilchrist (2).

BEAMENT, J. W. L. The Formation and Structure of the Chorion of the Egg in an Hemipteran, Rhodnius prolixus, 87, 393-439.

BEAMS, H. W. (1) GATENBY, J. B., and MULIYIL, J. A. Ultra-centrifuging the Spermatocytes of Helix aspersa, 78, 387–96, pl. 19.

— (2) See Gatenby (28).

— (3) See Patten (3).

Beauchamp, R. S. A. See Ullyott.

BEDDARD, F. E. Some Observations upon the Development of the Teeth of Physeter macrocephalus, 67, 1–32. BEER, G. R. DE. (1) The Segmentation of the Head in Squalus acanthias, 66, 457–74.

— (2) Some Observations on the Hypophysis of Petromyzon and of Amia, 67,

257-92.

- (3) See Huxley, 67, 473-96.

— (4) The Prootic Somites of Heterodontus and of Amia, 68, 17–38.

— (5) Contributions to the Study of the Development of the Head in Heterodontus, 68, 39-66.

BEER, G. R. DE. (6) Studies on the Vertebrate Head, 68, 287-342.

— (7) Notes on Placodes and the Ophthalmic Nerves, **68**, 661–5, pls. 34,

35

— (8) and HUXLEY, J. S. Studies on Dedifferentiation. 5. Dedifferentiation and Reduction in Aurelia, 68, 471–80, pl. 22.

— (9) Contributions to the Development of the Skull in Sturgeons, **69**,

671-88.

— (10) Studies on the Vertebrate Head. II. The Orbito-temporal Region of the Skull, **70**, 263–370.

— (11) On the Development of the

Skull in Torpedo, 70, 669-80.

— (12) The Early Development of the Chondrocranium of Salmo fario, 71, 259-312.

— (13) The Early Development of the Chondrocranium of the Lizard, 73,

707-39.

— (14) The Development of the Skull of Scyllium canicula, **74**, 591–646, pls. 32–7.

— (15) On the Nature of the Trabecula

Cranii, 74, 701-32, pls. 40-6.

— (16) On the Skeleton of the Hyoid Arch in Rays and Skates, 75, 307-20, 19-21.

Belone vulgaris, larval teeth, Moy-

Thomas (2).

Berkeley, C. The Green Bodies of the Intestinal Wall of certain Chaetopteridae, 73, 465–76, pl. 26.

BERRILL, N. J. The Development of the Skull in the Sole and the Plaice, 69,

217-44

Bettongia, primitive streak and associated structures, Kerr (2).

BHATIA, B. L. The Genus Stomatophora, Drzewecki, 68, 481–512, pl. 23.

Bhatia, D. The Structure of the Laterofrontal Cells of the Gills of Mytilus edulis, 70, 681-92, pl. 35.

BHATIA, D. R., and NATH, V. Studies in the Origin of Yolk. VI. The Crus-

tacean Oogenesis, 74, 669-700.

BHATIA, M. L. On the Structure of the Nephridia and 'funnels' of the Indian Leech, Hirudinaria, with Remarks in Three Organs in Hirudo, 81, 27–82.

BHATTACHARYA, D. R., and BRAMBELL, F. W. R. The Golgi Body in the Erythrocytes of the Sauropsida, 69, 357-9, pl. 22.

BIDDER, ANNA M. See Portmann, 72,

301.

BIDDER, G. P. The Relation of the form of a Sponge to its Currents, 67, 293-324. Bionomics of Lygocerus, Haviland, 65,

- of certain Cynipid hyperparasites of

Aphides, Haviland, 65, 451.

- of hymenopterous parasites, Haviland, 66, 322.

Bishop, A. (1) Some Observations upon Spirostomum ambiguum, 67, 391-

434; pls. 22, 23.

- (2) A Study of the Micronuclei of Spirostomum ambiguum major during Division, 69, 661-70, pls. 51, 52. - (3) The Cytoplasmic Structures of Spirostomum ambiguum, Ehr.,

71, 147-72, pls. 17, 18.

Blastomere cleavage, Gross.

BLEAKLY, M. The Vascular System of Octochaetus thomasi, Beddard, 78, 251-70, pls. 8, 9.

BLES, E. J. Arcella, a Study in Cell Physiology, 72, 527-648, pls. 30-40.

Blood; amoeboid elements, Helix, Haughton.

— Earthworm, Bahl (17).

— Invertebrates, Goodrich (3).

- systems, Sabellids, Ewer. - Tunicates, George, 81, 391.

Bodo caudatus, effect of Gamma-Rays on growth of, Robertson.

BOEKE, J. The Autonomic (Enteric) Nervous System of Amphioxus lanceolatus, 77, 623-58.

Bolocera; Gemmill (4).

Bomarea, root-tip chromosomes, Jane. Borg, F. On the Body-wall in Bryozoa, 70, 583-98.

Botrylloides, development, Garstang, 72, I.

BOURNE, G. See Barnett, 83, 259.

BOURNE, G. C. (1) On Some New Phelliinae from New Guinea, 63, 31-

90, pls. 3-5.

— (2) Fifty Years of the 'Quarterly Journal of Microscopical Science' under the Editorship of Sir E. Ray Lankester, 64, 1-9.

Bourne, G. C. (3) Observations on Arachnactis albida, M. Sars, 64, 27-65, pls. 3-5.

BOWEN, R. H. (1) Studies on Insect Spermatogenesis. V. On the Formation of the Sperm in Lepidoptera, 66, 505-626, pls. 24-6.

- (2) Studies on the Golgi Apparatus in Gland-cells. I. Glands associated with the Alimentary Tract, 70, 75-112, pls. 4-9.

- (3) II. Glands producing Lipoidal Secretions—the so-called Skin Glands,

70, 193-216, pls. 18-20.

- (4) III. Lachrymal Glands and Glands of the Male Reproductive System, 70,

395-418, pls. 25-8.

- (5) IV. A Critique of the Topography, Structure, and Function of the Golgi Apparatus in Glandular Tissue, 70, 419-50.

- (6). See Frew, 73, 197.

BOYD, MARY M. M. The Structure of the Ovary and the Formation of the Corpus luteum in Hoplodactylus maculatus, 82, 337-76, pls. 13-19.

BOYLE, W. See Singh, 81, 83.

BRAMBELL, F. W. R. (1) See Bhattacharya. - (2) See Tribe.

Branchial skeleton, epiphysial growth, Haines (1).

Branchiomma vesiculosum, development, Wilson.

Branchiostoma, nephridia, Goodrich

- golgi apparatus of endostyle, Subramaniam.

Brazil, leech from, Badham (3).

Brock, G. T. (1) On the Development of the Skull of Leptodeira hotamboia, 73, 289-334, pls. 12, 13.

— (2) The Formation and Fate of the Operculum and Gill-chambers in the Tadpole of Rana temporaria, 73, 335-44.

Brown, R. H. J. The Effect of Ultracentrifuging Vertebrate Neurones, 79,

73-90, pls. 2, 3.

Brown, V. E. Cytology and Binary Fission of Peranema, 73, 403-20, pls. 19-21.

Bryozoa, body-wall, Borg, 70, 583.

Bullanympha n.g. polymastigote flagellate, Kirby (4).

Bullock, T. H. The Anatomical Organization of the Nervous System of Enteropneusta, 86, 55-111, pls. 2-8.

CABLE, R. M. (1) Studies in the Germcell Cycle of Cryptocotyle lingua Creplin. I. Gametogenesis in the Adult, 74, 563-90, pls. 26-31.

— (2) II. Germinal Development in the Larval Stages, 76, 573-614, pls. 32-5. Cacosternum, cranial characters, de

Villiers (2).

Caddis. See Hydropsyche.

Caduceia, polymastigote Flagellates, Kirby (3).

Calandra (Weevil), embryonic development, Tiegs (1, 2).

- meiotic phase, Gunson.

— metamorphosis, Murray.

— mid-gut and intracellular micro-organisms, Mansour (1–4).

Calanus; oogenesis, Hilton.

- parasites, Jepps (3).

Calcium carbonate; elimination from malpighian tubules, Eastham (1).

— excretion in a new triclad, Percival (2).

Calcospherites of Dipterous larvae,
Keilin (2).

CALLAN, H. G. The Chromosomes of the Cymothoid Isopod Anilocra, 82, 327-36.

Calliphora erythrocephala, ptilinum, Laing.

Calma; adaptation, Evans.

Calman, W. T. Notes on the Morphology of Bathynella and some Allied Crustacea, **62**, 489–514.

Calotes; gonads, Simkins.

— cranium, Ramaswami.

Campanularia, resorption and inhibition, Huxley (4).

Campodea, 'dorsal organ' of embryo, Tiegs (5).

Cannibalism in Amoeba, Lapage (1). Cannon, H. G. (1) See Doncaster (1).

— (2) Early Development of the Summer Egg of a Cladoceran (Simocephalus vetulus), **65**, 627–42, pl. 25.

— (3) On the Labral Glands of a Cladoceran (Simocephalus vetulus) with a Description of its Mode of Feeding, 66, 213-34, pls. 9, 10.

— (4) A Further Account of the Spermatogenesis of Lice, **66**, 657–68.

CANTI, R. G. See Strangeways.

Carausius morosus (Stick-insect),

development, Thomas, 78, 487.
Carcinus, spermatophore, Spalding.

CARLETON, H. M. (1) Observations on the Intra-nucleolar Body in Columnar Epithelial Cells of the Intestine, **64**, 329–43, pl. 17.

— (2) See Champy.

— (3) Note on the Comparative Effects on Tissues of Isotonic Saline and Distilled Water when used as Solvents for Mercuric Chloride and Formol in Histological Fixation, 66, 501–8.

— (4) and HAYNES, F. Histological

Technique—review, 70, 721.

— (5) The Origin of Dust-cells in the Lung, **71**, 223–38, pl. 27.

CARTER, J. T. On the Cytomorphosis of the Enamel Organ in the Hake, **63**, 387–400, pls. 22–4.

CARTER, L. A. The Somatic Mitosis of Stegomyia fasciata, 63, 375-86,

Caryophyllaeidae from Sudan, Woodland (4).

Cat, adrenal gland, Davies, 80, 81.

— golgi element in kidney tubules, MacManus.

— thyroid glands, Lowe (3).

- See also Felis domestica.

Cavia; sperm, Gatenby (14).

Centrifugal forces on, Amoeba proteus, Singh (1).

— oocyte of mouse, Gresson (6, 10).

— See also Ultra-centrifuge.

Centroplast of the Heliozoa, Dobell.

Centropygus joseensis, a leech from Brazil, Badham (3).

Cephalodiscus, development, Gilchrist (1).

Cephalopoda, neuron cytology, Young (2).

— giant nerve-fibres and epistellar body, Young (4).

Cephalothrix, development, Smith, 77, 335.

Ceratodus, development of muscles, quadrate and epihyal, Edgeworth.

Cercaria macrocerca, anatomy, Vickers.

Cestoda, Woodland (2, 4, 6, 7).

Chaetae, formation and nature of, in Sabellaria, Ebling.

Chaetognatha. See Spadella.

Chaetopteridae, green bodies in intestinal wall, Berkeley.

Chalcidae; parasites of Coccidae, Imms (1).

— of Aphides, Haviland (1–3). — of Donacia egg, Gatenby (1, 6).

CHAMPY, C., and CARLETON, H. M. Observations on the Shape of the Nucleus and its Determination, 65,

589-610, pls. 23, 24. Chemistry; nutritive and execretory substances in earthworms, Bahl (17).

muscles of Apis, Morison (1-3).See also Histochemistry.

Chick; temperature on early development of, Tazelaar.

- ascorbic acid in cells and tissues, Barnett.

Chilodon, maturation, conjugation, MacDougall (1, 2).

Chilomonas, golgi apparatus and pyrenoids, Gatenby (31).

Chiridota, gregarines, Pixell Goodrich (3).

Chirocephalus diaphanus, egg membranes, Mawson.

Chlorophyll, animal, Fulton.

Chondrocranium; Ascaphus, Pusey (2).

Calotes, de Beer (13), Ramaswami.Salmo, de Beer (12).

Chordata, myenteric nerve-plexus, Kirtisinghe.

Chromatic droplets in growth of insects, Wigglesworth (7).

Chromosomal vesicles, Kater.

Chromosomes; Abraxas, Doncaster (2), Anilocra, Callan.

Actinomyxidia Naville.Culex, Taylor (1).

- Gammarus, Palmer.

— Gregarines, Jameson. — Marsupials, Altmann. — somatic of Alstro Alstroemeria and Bomarea, Jane.

- structure and division, Lee (1, 3).

Ciliary Currents in Atlantidae, Yonge (4). - Mechanisms of Polyzoa and Lamelli-

branchs, Atkins (2-6).

- movement and ions, Gray, 64, 345. Ciliata; Anoplophrya (Cirratulus) cytology, King (4).

- Astomatous (Oligochaetes), Mackinnon (1).

Ciliata; Chilodon, cytology, Mac-Dougall (2).

- Diplodinium (ruminants), Wertheim.

- Foettingeridae; (Gammarus moult), Percy; (Anemones), de Morgan.

- Lagenophrys (Gammarus), Willis.

— Opalina (frog), King (5).

- Ophryoscolex (Ungulata), Dogiel (1).

-- Paramoccium, micronucleus, Woodruff.

- sexual differentiation, Dogiel (1, 2).

- Spirostomum, Bishop (1-3).

Cirripedia: Baccalaureus maldivensis, n.sp., Pyefinch (1, 2).

- Sacculina, life-history, Day.

— tegumental glands, Thomas, 84, 257. Cladocera; labral glands and feeding, Cannon (3).

– Summer egg, Cannon (2).

Clavellina, amoeba-like bodies in stomach, Huxley (1).

Cleavage, changes in cytosome during, Pelluet.

Clitellum; Brandling worm, Grove (4).

- Alma, Grove (5).

Cnidonema capensis, g. et sp.n. a crawling Medusa, Gilchrist (4).

COATES, C. W. See Smith, 79, 487.

Coccidae; Guerinia parasitized by Diptera, Thorpe.

— Chalcid parasites of, Imms (1).

Coccidia (Lithobius) golgi bodies, King

Coccinella, alimentary canal, Pradham. Codosiga, Lapage (2).

Coelomic fluid of earthworms; Bahl (17). Coetenterata; Protohydra, Hickson (1).

— a crawling medusa, Gilchrist (4).

- Melicertidium, a Leptomedusan, Gemmill (3).

-- See also Actinozoa, Hydra.

Cole, H. A. Primary Sex-Phases in Ostrea edulis, 83, 317-56.

Coleoptera; Corynodes, embryology, Paterson.

- Hydrophilous larvae, Pavlovsky (1).

- intracellular micro-organisms, Mansour.

— reproductive system, Metcalfe (1, 2).

— See also Calandra, Luciola.

Collembola; tracheal system, Davies, 71,

15.

Collembola; dorsal organ, Tiegs (4). Collier, V. Studies on the Cytoplasmic Components in Fertilization I, Ascaris suilla, 78, 397-418.

Commensals, intracellular micro-organisms in beetles, Mansour (3).

Conjugation of triploid Chilodon, MacDougall (2).

Connective tissue, formation of ground substance, Iasswoin (2).

Conus arteriosus in fish, Parsons (2). Copromonas, Golgi apparatus,

Gatenby (30).
— subtilis, identification, Gatenby (31).

Corals; histology, Matthai. Corpus allatum of Rhodnius, Wigglesworth (6).

— luteum, Fell (2).

Corynodes pusis, embryology, Paterson (1).

COUCH, J. N. The Biological Relationship between Septobasidium retiforme (B and C) Pat. and Aspidiotus osborni, New and Ckll., 74, 383-438, pls. 15-19.

COWLEY, L. F. See Grove (3, 4).

Cranial characters; Cacosternum, and Phrynomerus de Villiers (1, 2).

Craniata, proboscis pores, Goodrich (1). CREW, F. A. E., and FELL, H. B. The Nature of certain Ovum-like Bodies found in the Seminiferous Tubules, 66, 557-78, pls. 18-23.

Crossaster, development, Gemmill (2). Crossopriza, oogenesis, Nath (4).

Crucinymphia n.g. polymastigote flagellate, Kirby (4).

Crustacea; Argulus, embryology Pyatakov.

— Innervation of heart. I. Decapod, II. Stomatopoda, Alexandrowicz (1, 2).

- oogenesis, Bhatia.

— spermatid and sperm of Crab, Nath (9), Spalding.

- Upogebia, Tucker.

— See also Cirripedia, Gammarus, Isopoda, Neomysia, Cladocera.

Cryptochaetum grandicorne (Diptera), parasite of a Coccid, Thorpe.

Cryptococcus gammari, a pathogenic yeast, Pixell Goodrich (4).

Cryptocotyle lingua, Gametogenesis, germinal development in larva, Cable (1, 2).

Crystalline style in Gastropods, Mackin-tosh.

Cucumaria; development, Ohshima (1).
— gregarines, Pixell Goodrich (5).

Culex; fertilization, Taylor (1).

— egg-follicle, Nath (1).

Cuticle, Rhodnius, Wigglesworth (4).
Cutler, D. Ward. (1) Observations on the Protozoa Parasitic in the Hind Guttof Archotermopsis wroughtoni, Desn. Part I. Ditrichomonas. (Trichomonas) termitis, Imms, 63, 555-88, pls. 31-3.

— (2) Part II. Joenopsis polytricha, n.gen., n.sp., with Brief Notes on Two New Species, J. cephalotricha and Microjoenia axostylis, **64**, 383—

91, pls. 18-21.

— (3) Observations on the Protozoa parasitic in Archotermopsis wroughtoni Desn. Part III. Pseudo-trichonympha pristina, 65, 247-64, pl. 10.

Cyclostomata; Bdellostoma eggs andlembryos, Gilchrist (2).

— Petromyzon hypophysis, de Beer (2).

— and Myxina supposed pancreatic organs, Barrington (3).

- Spinal nerves of Myxinoidea, Goodrich (17).

Cytology; technique, Gatenby (12, 13), Baker (2), Gairns (gold chloride), Strangeways, Carleton (1-5), Lim (1).

- A. proteus, Singh (2).

— Cell-division and surface tension, Gray, 66, 235.

— Dissociation of cells, Goodrich (18).

— — gonads of Calotes, Simkins.

— harderian gland of rat, Duthie.

— irradiated root-tips, Patton (2).
— meiosis, Calandra, Gunson.

— — mollusca, Gatenby (26). — — nerve-endings, Gairns.

— neurons of Cephalopods, Young (2, 4).

—— oocyte of mouse, centrifuged, Gresson (6, 10),

— Periplaneta, mid-gut and hepatic caeca, Gresson (7).

— — sponges, Webb.

— — uterine glands, human, Aykroyd.

— Vertebrate intestinal epithelium, Baker (2).

Cytology; See also Golgi element, . Oogenesis, Spermatogenesis, Tissueculture, Ultra-centrifuge.

Cytoplasmic inclusions: flagellates.

Smyth (2).

— germ-cells, Gatenby (3, 5, 8-12, 14, 15). — mouse egg, Gresson (6, 10, 11).

- plant-cells, Patten (1).

- snake eggs, Lal.

Da Fano, C. On Golgi's Internal Apparatus in Spontaneously Absorbing Tumour Cells, 67, 369-80, pls. 19, 20.

DAKIN, W. J. (1) The Eye of Peripatus,

65, 163-72, pl. 7.

- (2) The Infra-cerebral Organs of

Peripatus, 66, 409-18.

Daniels, M. L. A Cytological Study of the Gregarine Parasites of Tenebrio molitor, using the Ultra-centrifuge, 80, 293-320, pl. 28.

Das, G. M. The Musculature of the Mouth-parts of Insect Larvae, 80,

39-80, pls. 1-12.

Dasyneura leguminicola, female genital system, Metcalfe, 76, 89.

DAVIES, S. The Development of the Adrenal Gland of the Cat, 80, 81-98, pl. 13.

Davies, W. M. On the Tracheal System of Collembola, with Special Reference to that of Sminthurus viridis, Lubb., 71, 15-30.

DAWES, B. The Histology of the Alimentary Tract of the Plaice (Pleuro-

nectes platessa), 73, 243-74.

DAY, J. H. The Life-history of Sac-

culina, 77, 549-84.

DEANESLEY, R. (1) The Structure and Development of the Thymus in Fish, with Special Reference to Salmo fario, 71, 113-46, pls. 12-16.

-(2) Experimental Studies on the Histology of the Mammalian Thymus,

72, 247-76, pls. 6-12.

Dedifferentiation, Perophora, Huxley (3). - resorption and inhibition in Obelia

and Campanularia, Huxley (4). - and reduction in Aurelia, de Beer (8). DENDY, A. On the Origin, Growth, and Arrangement of Sponge-spicules: A

Study in Symbiosis, 70, 1-74, pls. 1-3. Denticles in fossil Actinopterygii, Goodrich (19). See also Teeth.

Dermaptera; development of genitalia. Nel.

Dialeurodes dissimilis, respiratory system development, Roonwal.

Didelphys, development, Hill (1).

Diestrammena (Cricket) spermatogenesis, Wu.

Digestion, Glossobalanus, Barrington (2). Diplocystis, chromosome cycle, Jame-

Diplodinium, revision, Wertheim.

Dipnoi; Lepidosiren and Protopterus, spleen development, Purser (1).

- Ceratodus, development, Edgeworth.

Diptera; Anopheles, ovary, Nicholson. - Culex, fertilization, Taylor (1); egg follicle, Nath (1).

- Dasyneura, genital system, Met-

- Drosophila, Eastham (1). - larval excretion, Keilin (2).

- Mosquitoes, peritrophic membrane, Wigglesworth (1).

- parasitic, Cryptochaetum (Coccid) Thorpe.

- Phytophaga (Wheat), Metcalfe (4).

- Ptilinum of Blow-fly, Laing.

- Stegomyia, mitosis, Carter, 63, 375. Dissociation of cells, Goodrich (18).

DOBELL, C. On Oxnerella maritima, nov.gen., nov.spec., a New Heliozoon and its Method of Division; with some Remarks on the Centroplast of the Heliozoa, 62, 515-38, pl. 27.

Dodson, M. E. Development of the Female Genital Ducts in Trichoptera,

77, 383-404.

Dogiel, V. A. (1) On Sexual Differentiation in the Infusoria, 67, 219-32, pl. 17.

- (2) On the Influence of the Macronucleus on the Formation of New Morphological Characters in Infusoria, 69, 611-18.

Donacia egg parasitized by Tricho-

gramma, Gatenby (1).

Doncaster, L. (1), and Cannon, H. G. On the Spermatogenesis of the Louse (Pediculus corporis and P. capitis), with Some Observations on the Maturation of the Egg, 64, 303-28, pl. 16.

Doncaster, L. (2) Further Observations on Chromosomes: Sex-determination in Abraxas grossulariata, 66, 397-408. Dorsal organ of Collembolan embryos, Tiegs (4).

Drosophila, malpighian tubules, East-

ham (1).

DRUMMOND, F. H. The Male Meiotic Phase in Five Species of Marsupials,

76, 1-12, pls. 1, 2.

DRUMMOND, MABEL. The Germinal Layers concerned in the Formation of the Alimentary Canal and Malpighian Tubules of Ephestia, Kühniella (Lepidoptera), 78, 533-42, pls. 28, 29. DUNKERLY, J. S. The Development and

Relationships of the Myxosporidia, 69,

185-216, pls. 10-15.

DUTHIE, E. S. Studies on the Cytology of the Harderian Gland of the Rat, 76, 549-58.

Dystiscus; golgi bodies during ami-

tosis, Ludford (1).

Earthworms; Indian, Bahl (1-17).

— circulation, Bahl (2).

- enteronephric nephridia, Bahl (3-5).

- glands, Keilin (1), Stephenson, **62**, 253.

— reproduction, Bahl (6); biochemistry, Bahl (17).

· EASTHAM, L. (1) Peristalsis in the Malpighian Tubules of Diptera. Preliminary Account with a Note on the Elimination of Calcium Carbonate from the Malpighian Tubules of Drosophila funebris, 69, 385–98, pl. 34.

— (2) Contribution to the Embryology of Pieris rapae, 71, 353-94, pls. 34-6. EBLING, F. J. Formation and Nature of the Opercular chaetae of Sabellaria

alveolata, 85, 153-76.

Ecdysis in Rhodnius, Wigglesworth

— in a teleost, Gilchrist (5).

Echidna (Tachyglossus), ovum, Flynn (2).

Echinodermata; Astropecten development and duplicity of larvae, Newth (3).

— Crossaster, development, Gemmill (2).

- Echinocardium, development, Mac-Bride (1).

— Echinoid larvae, MacBride (2), Ohshima (2, 3).

Echinodermata; egg changes during cleavage, Pelluet.

— See also Holothuroidea, Ophiuroidea. EDGEWORTH, F. H. On the Development of the Hypobranchial, Branchial, and Laryngeal Muscles of Ceratodus. With a Note on the Development of the Quadrate and Epihyal, 67, 325–68. Egg; Bdellostoma, Gilchrist (2).

— Culex, Nath (1).

— Donacia, parasitized by Trichogramma, Gatenby (1).

- Frog, Meek (2).

— Hen, Marza (1, 2).

- Lepidosiren, Miller.

- Rhodnius, Beamont.

- Snake, Lal.

- See also Ovum.

Eisenia, the Brandling Worm, Grove (2-4).

Elasmobranchii, Lipin secretion in Interrenal, Fraser, 73, 121. See also Selachii.

Eleutheria, a crawling Medusa, Gilchrist (4).

ELLERY, M. E. W. See Altmann.

Embryology and development; Alcyonium, Matthews.

— Amphibola, Farnie.

— Bolocera (Anemone), Gemmill (4).

- Caransius (Stick-insect), Thomas, 78, 487.

— Cat, Adrenal gland, Davies, 80, 81.

— Cephalodiscus, Gilchrist (1).

— Cephalothrix, Nematina, Smith, 77, 335.

— Chick, temperature gradient, Tazelaar.

Cryptocotyle, Trematoda Cable (1, 2).
Hanseniella (Myriopod), Tiegs (3-6).

- Hydra, nerves in bud, McConnell.

- Peripatus, Glen.

- Physeter (whale) teeth, Beddard.

— Scorpion, Pavlovsky (2, 3).

— Spadella, John.

- Sponges, Webb.

— Tubularia, Lowe.

 See also under Amphibia, Amphioxus, Crustacea, Echinoderma, Insecta, Marsupialia, Mouse, Oligochaeta, Pisces, Polychaeta.

Enamel; structure and development in mammals, Jasswoin (1).

— organ of Hake, Carter, 63, 387.

Engystomatidae, Rao (1).

interonephric system in earthworms, Bahl (1, 3-5, 8).

Interopneusta; metamerism, van der Horst (1).

- nervous system, Bullock.

- See also Glossobalanus, Planetosphaera and Xenopleura.

Cosin and methylene-blue, Lim (1).

phestia, alimentary canal, Drummond. 78, 533.

Epistellar body of Cephalopods, Young

Epithelial cell, free border of, Vertebrate

intestine, Baker (2), — Certain Invertebrate mid-guts,

Newell.

Euglena, Golgi apparatus, Gatenby

(4).

(30).Euplotes, neuromotor system, Hani-

mond.

Eutyphoeus, copulation, Bahl (6).

- hepato-pancreatic glands, Bahl (7). Evans, T. J. Calma glaucoides: A study in Adaptation, 66, 439-56, pl. 11. EWER, D. W. The Blood Systems of Sabella and Spirographis, 82,

587-620.

Excretion, physiology of, in Indian Earthworms, Bahl (10, 15, 17).

Excretory organs, Asellus, Needham (4). See also Nephridia.

Eye, Peripatus, Dakin.

Proteus, Hawes.

FARNIE, W. C. The Development of Amphibola crenata (Martyn), 68,

453-70. FAULKNER, G. H. The Early Prophases of the First Oocyte Division as seen in Life, in Obelia geniculata, 73,

225-42.

Feeding and Digestion, Glossoba-

lanus, Barrington (2).

Pelis domestica; development, Hill (3).

FELL, H. B. (1) See Crew, 66, 557.

-(2) Histological Studies on Gonads of the Fowl. III. The Relationship of the 'Luteal' Cells of the Ovary of the Fowl to the Tissue occupying the Atretic and Discharged Follicles, and the Question of the Homology of the Latter Tissue and the Mammalian Corpus Luteum, 69, 591-610, pl. 48.

Fell, H. B. (3) The Direct Development of a New Zealand Ophiuroid, 82, 377-442, pls. 20-2.

- (4) and Jacobson, W. The Developmental Mechanics and Potencies of the Undifferentiated Mesenchyme of the Mandible, **82**, 563–86, pls. 27–31.

Ferments; digestive, in Apis, Pavlovsky

(4).

Fernando, W. (1) The Development and Homologies of the Mouth-parts of the Head-louse, 76, 231-42.

— (2) The Early Embryology of a Vivi-

parous Psocid, 77, 99-120.

Fertilization; artificial and normal, Gray, 66, 419.

— Culex, Taylor (1).

- cytoplasmic components in Ascaris, Collier.

— mouse ovum, Gresson (11).

Fission in Phoronopsis, Gilchrist (3).

Flagellata, osmiophil material, Smyth (2, 3). See also Mastigophora.

FLYNN, T. T. (1) The Yolk-Sac and Allantoic Placenta in Perameles, 67, 123-82, pls. 9-11.

- (2) On the Unsegmented Ovum of Echidna (Tachyglossus), 74, 119-32, pl. 3.

Foaina, polymastigote flagellates, Kirby

Foettingeria parasitic in Anemones, de Morgan.

Fossil Actinopterygii denticles, Goodrich

Stromatoporoids, systematic position, Hickson (2).

Fraser, A. H. H. Lipin Secretion in the Elasmobranch Interrenal, 73, 121-34, pls. 7, 8.

Fraser, E. A. (1) Observations on the Development of the Pronephros of the Sturgeon, Acipenser rubicundus, 71, 75-112, pls. 10, 11.

- (2) assisted by RENTON, RACHEL. Observations on the Breeding and Development of the Viviparous Fish Heterandria formosa, 81, 479-520, pls, 26-9.

FREW, P., and BOWEN, R. H. Nucleolar Behaviour in the Mitosis of Plant-cells,

73, 197-214, pl. 11.

FRIEND, G. F. The Sperms of the British Muridae, 78, 419-43.

Frog; 'Segmentation cavity' of egg, Meek (2).

— See Anura.

Fulton, J. F. Animal Chlorophyll: its Relation to Haemoglobin and to other Animal Pigments, **66**, 339–96.

Fungoid diseases of Gammarus, Pixell

Goodrich (4).

Fyfe, M. L. The Reproductive System of the Planarian Artioposthia triangulata (Dendy), 80, 99–126, pls. 14–16.

Gadus, tail, Barrington (1).

GAIRNS, F. W. A Modified Gold Chloride Method for the Demonstration of Nerve-endings, 74, 151-4, pls. 7, 8.

Gallus; origin of germ-cells, Gatenby

(18), Woodger (2).

- pecten eye, Mann, 68.

- gonads, Fell (2).

Gametogenesis; Cryptocotyle, Cable (1).

— Goniodes (poux), Perrot.

— Limnœa, Gatenby (10).

- Ornithorhynchus, idem (16, 19).

- Saccocirrus, idem (15).

- sponges, idem (23).

Gammarus; blue ciliate from moult, Percy.

— Lagenophrys on marine, Willis.

— reactions to disease, Pixell Goodrich (4).

— Spermatogenesis, Palmer.

GARDINER, MARY S. The Origin and Nature of the Nucleolus, 77, 523-48, p. 28.

GARSTANG, SYLVIA L., and GARSTANG, W. On the Development of Botrylloides, and its bearings on some Morphological Problems, 72, 1–50, pls. 1–3. GARSTANG, W. (1) See Garstang, S. L.

— (2) The Morphology of the Tunicata, and its bearings on the Phylogeny of

the Chordata, 72, 51-187.

— (3) Spolia Bermudiana. Part I. On a remarkable new type of Auricularia larva (Auricularia bermudensis n.sp.), 81, 321-46; Part II. The ciliary feeding mechanism of Tornaria, 81, 347-66.

— (4) The Morphology and Relations of the Siphonophora, 87, 103-93.

Gasterosteus, vitellogenesis, Singh. 81, 83.

Gastropoda; Amphibola, development, Farnie.

— Atlantidae, Yonge (4).

— Calma, Evans.

— crystalline style, Mackintosh.

— cytology, Gatenby (5, 8-10, 27, 28).

— effects of parasitism upon tissues,. Agersborg (2).

— Melibe (Nudibranch), Agersborg (1).

— Milax, pedal gland, Barr.

- Paludestrina, Robson.

- See also Helix.

GATENBY, J. B. (1) Embryonic Development of Trichogramma evanescens, Westw., Monembryonic Egg Parasite of Donacia simplex, Fab., 62, 149-87, pls. 10-12.

— Note on above, **62**, 613.

— (2) Note on the Sex of a Tadpole raised by Artificial Parthenogenesis, 62, 213–19.

— (3) The Cytoplasmic Inclusions of the Germ-cells. Part I. Lepidoptera, 62,

407-63, pls. 23-5.

— (4) The Degenerate (Apyrene) Spermformation of Moths as an Index to the Inter-relationship of the Various Bodies of the Spermatozoon, 62, 465–88, pl. 26.

— (5) The Cytoplasmic Inclusions of the Germ-cells. Part II. Helix aspersa,

**62**, 555–611, pls. 29–34.

-- (6) The Segregation of the Germcells in Trichogramma evanescens, 63, 161-74, pl. 13.

— (7) Polyembryony in Parasitic Hymenoptera: A Review, **63**, 175–96,

pls. 14, 15.

— (8) The Cytoplasmic Inclusions of the Germ-cells. Part III. The Spermatogenesis of some other Pulmonates, **63**, 197, pls. 16–18.

— (9) Part IV. Notes on the Dimorphic Spermatozoa of Paludina and the Giant Germ-nurse Cells of Testacella and

Helix, 63, 401-43, pls. 25, 26.

— (10) Part V. The Gametogenesis and Early Development of Limnaea stagnalis L., with special reference to the Golgi Apparatus and the Mitochrondria, 63, 445–91, pls. 27, 28.

— (11) Part VI. On the Origin and Probable Constitution of the Germ-cell

Determinant of Apanteles glomeratus, with a Note on the Secondary Nuclei, 64, 133-53, pls. 9, 10.

GATENBY, J. B. (12) Part VII. The Modern Technique of Cytology, 64,

267-301.

— (13) Lee's Microtomist's Vade-Mecum, eighth edition (review), 65,

199.

- (14) and Wooder, J. H. The Cytoplasmic Inclusions of the Germ-cells. IX. On the Origin of the Golgi Apparatus on the Middle-piece of the Ripe Sperm of Cavia and the Development of the Acrosome, 65, 265-92, pls. 11, 12.
- (15) The Cytoplasmic Inclusions of the Germ-cells. Part X. The Gametogenesis of Saccocirrus, **66**, 1–48, pls.
- (16) Some Notes on the Gametogenesis of Ornithorhynchus paradoxus, **66**, 475-500, pls. 12-14.

— (17) See King (1).

— (18) The Transition of Peritoneal Epithelial Cells into Germ-cells in Gallus bankiva, **68**, 1–16, pl. 1.

— (19) and HILL, J. P., On an Ovum of Ornithorhynchus exhibiting Polar Bodies and Polyspermy, **68**, 229–38, pl. 10.

— (20) A Reinvestigation of the Spermatogenesis of Peripatus, **69**, 629–42, pl. **50**.

— (21) See King (5).

— (22) and NATH, V. The Oogenesis of certain Invertebrata, with Special Reference to Lumbricus, 70, 371–90, pl. 24.

— (23) Further Notes on the Gametogenesis and Fertilization of Sponges, 71, 173–88, pls. 19–21.

— (24) See Patten (1).

(25) and MUKERJI, R. N. Spermatogenesis of Lepisma domestica, 73,

1-6, pl. 1.

— (26) and HILL, J. C. Improved Technique for Non-aseptic Tissue Culture of Helix aspersa, with Notes on Molluscan Cytology, 76, 331-52, pls.

— (27) HILL, JOYCE C., and Mac-DOUGALD, T. J. On the Behaviour and Structure of Cells of Helix aspersa in Aseptic and Non-aseptic Tissue Culture, 77, 129–56, pls. 7–8. GATENBY, J. B. (28) and BEAMS, H. W. The Cytoplasmic Inclusions in the Spermatogenesis of Man, 78, 1–30, pls. 1–4.

— (29) See Beams (1).

— (30) and Singh, B. N. The Golgi Apparatus of Copromonas subtilis and Euglena sp., 80, 567–91, pls. 46–8.

— (31) and SMYTH, J. D. The Golgi Apparatus and Pyrenoids of Chilomonas paramecium, with Remarks on the Identification of Copromonas subtilis, 81, 595-617, pls. 36, 37.

— (32) See Aykroyd, **82,** 541.

Gecko (Hemidactylus); caudal autotomy and regeneration, Woodland (1).

- (Hoplodactylus), ovary, Boyd.

GEMMILL, J. F. (1) Rhythmic Pulsation in the Madreporic Vesicle of Young Ophiuroids, 63, 537-40.

— (2) The Development of the Starfish Crossaster papposus, Müller and

Troschel, 64, 155-89, pl. 10.

— (3) The Life-history of Melicertidium octocostatum (Sars), a Leptomedusan with a Theca-less Hydroid Stage, 65, 339–48, pl. 16.

— (4) The Development of the Sea Anemone Bolocera tuediae (Johnst.),

65, 577–88, pl. 22.

Genital Ducts and Nephridia, Goodrich (20).

Genitalia; Homoptera and Zygoptera, George (1).

— development in Insects, Nel.

— development in male Lepidoptera, Mehta (2).

-- structure and development in female Dasyneura, Metcalfe (3).

GEORGE, C. J. The Morphology and Development of the Genitalia and Genital Ducts of Homoptera and Zygoptera as shown in the Life Histories of Philaenus and Agrion, 72, 447–86, pls. 27–9.

GEORGE, W. C. A Comparative Study of the Blood of the Tunicates, 81, 391-428,

pls. 22 4.

Germ-cell; cycle in Phytophaga, Metcalfe (3, 4).

— cytoplasmic inclusions, Gatenby (3, 5, 8–10, 14, 15).

— determinant, Apanteles, idem (11).

— origin in Gallus, Gatenby (18), Woodger (2).

- in Sphenodon, Tribe (2).

GILCHRIST, J. D. F. (1) Development of the Cape Cephalodiscus (C. Gilchristi, Ridewood), **62**, 189–211, pls. 13, 14.

— (2) Note on Eggs and Embryos of the South African Myxinoid, Bdellostoma (Heptatretus) hexatrena, Müll., 63, 141-59, pls. 10-12.

— (3) Reproduction by Transverse Fission in Phoronopsis, **63**, 493-507, pl.

29.

— (4) On a Species of the Crawling Medusa, Eleutheria, from the Cape of Good Hope (Cnidonema capensis, g. et sp.n., and the Southern Eleutheriae, 63, 509-29, pl. 30.

- (5) Planktothuria diaphana, gen.

et sp.n. **64**, 373–82.

- (6) Ecdysis in a Teleostean Fish,

Agriopus, **64**, 575–87.

-- (7) Xenopleura vivipara, g. et sp.n. (Enteropneusta), **69**, 555-70, pls. 42, 43.

Gill filaments, Lamellibranch, Atkins

(3–9).

Glands; adrenal of cat, Davies, 80, 81.
— club-shaped of Amphioxus, Good-

rich (10).

— dermal, Wigglesworth (4).

— golgi element in, Bowen (2–5).

— harderian, of rat, Duthie.

— hepato-pancreatic, Eutyphoeus, Bahl (6).

- labral, Cannon.

- pedal, in Milax, Barr (1).

— prostate in Microdrili, Mehra (2).

- rectal, Wigglesworth (3).

— skin, in Arion, Barr (2); lipoid secretions, Bowen (3).

- uterine, human, Aykroyd.

— wax, of coccid, Pollister, **80**, 127. GLASGOW, J. P. Internal Anatomy of a Caddis (Hydropsyche colonica), **79**, 151-80, pls. 7-9.

GLEN, E. H. A Revision of Certain Points in the Early Development of Peripatus capensis, 63, 283-92, pl. 20.

Glossobalanus minutus, feeding and digestion, Barrington (2).

and digestion, Barrington (2).

— marginatus, n.sp., Meek (1).

Golgi element;

- amphibian thyroid, Uhlenhuth.

— — tissues, Pollister, 81, 235.

Golgi element; Branchiostoma endostyle, Subramaniam.

- Cat Kidney, MacManus.

— Cavia, Gatenby (14).

— Coccidia, King (1).

— Dytiscus, Ludford (1).

— Earthworms, Nath (7).

Erythrocytes, Sauropsida, Bhatt-charya.
Flagellates, Smyth (1-3), Gatenby

(30, 31).

— Germ-cells Fowl, Woodger (2).

— Gland-cells, Bowen (2-5).— Limnaea, Gatenby (10).

- Neurones, Rau.

— Opalina, King (5).

— structure and composition of, Baker (3).

— in tumour cells, Da Fano.

— — during keratinization, Ludford (2).

Gonads; Calotes, Simkins.

— Fowl, Fell (2).

Goniodes, gametogenesis, Perrot.

Gonospora minchinii, n.sp. Gregarine in Arenicola egg, Goodrich (5).

GOODRICH, E. S. (1) 'Proboscis pores' in Craniate Vertebrates, a Suggestion concerning the Premandibular Somites and Hypophysis, **62**, 539–53, pl. 28.

— (2) On the Development of the Segments of the Head in Scyllium, 63,

1-30, pls. 1, 2.

— (3) The Pseudopodia of the Leucocytes of Invertebrates, **64**, 19–26, pls.

— (4) Review of Text-Book of Embryology, Vol. II. Vertebrata, with the exception of Mammalia by J. Graham Kerr, **64**, 121–32.

— (5) and PIXELL GOODRICH, H. L. M. Gonospora minchinii, n.sp., a Gregarine inhabiting the egg of Arenicola, 65, 157–62, pls. 5, 6.

— (6) The Blastocoelic and Enteric Cavities in the Amphibia, **69**, 745.

- (7) On a New Hermaphrodite Syllid, 73, 651-66.

— (8) Notes on Protodrilus, 74, 303-20.

- (9) Scientific Work of E. R. Lankester, 74, 363-82.

— (10) The Development of the Clubshaped Gland in Amphioxus, 74, 155-64, and 361.

GOODRICH, E. S. (11) On the Nephridiostome of Lumbricus, 75, 165-79,

pls. 11, 12.

- (12) The Nephridia of Asymmetron and Branchiostoma compared, 75, 723-34

-(13) Notes on Odontosyllis, 76,

319-30.

- (14) The Early Development of the Nephridia in Amphioxus: Introduction and Part I, Hatschek's Nephridium, 76, 499-510, pls. 29, 30.

- (15) The Early Development of the Nephridia in Amphioxus: Part II, The Paired Nephridia, 76, 655, pls. 37-40.

— (16) Mouth and Anus, 77, 659-61. - (17) On the Spinal Nerves of the

Myxinoidea, 80, 153-8.

- (18) A New Method of Dissociating Cells, 83, 245-58.

- (19) Denticles in fossil Actinoptery-

gii, 83, 459-64.

- (20) The Study of Nephridia and Genital Ducts since 1895, 86, Pts. II to IV, 113-392.

GOODRICH, E. S. Biography, Hardy, 87,

- See also Pixell Goodrich.

GORVETT, H. The Tegumental Glands in the Land Isopoda. A. The Rosette Glands, 87, 209-35.

Grasshopper, ovum, Slifer (1).

— water-absorbing area, Slifer (2). GRAY, J. (1) The Effects of Ions upon

Ciliary Movement, 64, 345-71.

— (2) Surface Tension and Cell-Division **66**, 235–46.

- (3) A Critical Study of the Facts of Artificial Fertilization and Normal Fertilization, 66, 419-38.

GRAY, P. (1) The Internal Anatomy of Lernaeopoda scyllicola Leigh Sharp. Part I. The Female, 72, 478-

- (2) The Development of the Amphibian Kidney. Part I. The Development of the Mesonephros of Rana temporaria, 73, 507-46, pls. 27-31.

- (3) The Development of the Amphibian Kidney. Part II. The Development of the Kidney of Triton vulgaris and a comparison of this form with Rana temporaria, 75, 425-66, pls. 22-6.

GRAY, P. (4) The Development of the Amphibian Kidney. Part III. The Post-Metamorphic Development of the Kidney, and the Development of the Vasa Efferentia and Seminal Vesicles in Rana temporaria, 78, 445-85, pls. 20-3.

GREENSHIELDS, F. See Peacock (2).

GREENWOOD, A. W. Marsupial Spermatogenesis, 67, 203-18, pls. 15, 16.

Gregarinae (Chiridota, Cucumaria, and Centipedes), Pixell Goodrich (3, 5, 6).

- cytology (Tenebrio), Daniels, Monocystis, Hornung.

- Diplocystis (Periplaneta), Jameson.

- Gonospora (Arenicola egg), Good-

— (marine worms), Mackinnon (5, 6).

- Stomatophora (Oligochaetes), Bhatia, 68, 481.

Gresson, R. A. R. (1) See Peacock (1).

— (2) Nucleolar Phenomena during Oogenesis in certain Tenthredinidae, 73, 177-98, pl. 10.

- (3) Yolk-formation in certain Tenthredinidae, 73, 345-64, pls. 14, 15.

- (4) Certain Phenomena of Tenthredinid Oogenesis as revealed mainly by Feulgen's Nuclear-Reaction, 73, 617-32, pl. 37.

- (5) Yolk-formation in Periplaneta orientalis, 74, 257-74, pls. 12, 13.

— (6) 'The Study of the Cytoplasmic Inclusions and Nucleolar Phenomena during the Oogenesis of the Mouse, 75, 607-722, pls. 39, 4c.

- (7) The Cytology of the Mid-gut and Hepatic Caeca of Periplaneta orien-

talis, 77, 317-34, pls. 19, 20.

- (8) The Spermatogenesis of Stenophylax stellatus, Curt. (Trichoptera), 78, 311-27, pls. 12, 13.

- (9) Studies on the Cultivation of Pieces of the Mantle of Modiolus modiolus, 79, 659-78, pls. 29, 30.

- (10) A Cytological Study of the Centrifuged Oocyte of the Mouse, 81,

569-84, pls. 34-5.

- (11) A Study of the Cytoplasmic Inclusions during Maturation, Fertilization, and the First Cleavage Division of the Egg of the Mouse, 83, 35-60, pls.

GROSS, F. Cleavage of Blastomeres in the absence of Nuclei, 79, 57–72, pl. 1. GROVE, A. J. (1) On the Reproductive Processes of the Earthworm, Lumbricus terrestris, 69, 245–90, pls. 16 and 17.

— (2) The Passage of the Spermatozoa into the Cocoon in Eisenia, 71, 465—

78.

— (3) and Cowley, L. F. (1) On the Reproductive Processes of the Brandling Worm, Eisenia foetida (Sav.), 70,

559-82, pl. 30.

— (4) and — (2) The Relation of the Glandular Elements of the Clitellum of the Brandling Worm, Eisenia foetida (Sav.), to the Secretion of the Cocoon, 71, 31-46, pl. 6.

— (5) The Structure of the Clitellum of Alma emini, Mich., 74, 223-34.

Guerinia (Coccidae) parasitized by Cryptochaetum (Diptera), Thorpe.

GUNSON, MARY M. The Meiotic Phase of Calandra oryzae, 85, 107–16, pl. 3.

Guyenotic sphaerulosa N.gen.; n. sp. of Actinomyxidia, Naville.

Gyge branchialis; parasitic on Upogebia, Tucker.

Gypsina plana, Hickson (2).

Haemoglobin, Fulton.

Haemulidae, Melaniridosomes in healing wounds, Smith, 76, 647.

HAINES, R. W. (1) Epiphysial Growth the Branchial Skeleton of Fishes, 77, 77–98.

— (2) The Posterior End of Meckel's Cartilage and Related Ossifications in Bony Fishes, 80, 1–38.

Hake, enamel organ, Carter, 63, 387.

HAMMOND, D. M. The Neuromotor System of Euplotes patella during Binary Fission and Conjugation, 79, 507-57, pls. 21, 22.

Hanseniella, embryology and affinities, Tiegs (3, 6).

Haplosporidium chitonis, cytology, King (2).

Harderian gland of rat, Duthie.

HARDY, A. C. Obituary notice of Edwin Stephen Goodrich, 87, 317-55.

HARMER, S. F. On Phoronis ovalis, Strethill Wright, **62**, 115-48, pls. 7-9.

HARVEY, L. A. (1) On the Relation of the Mitochondria and Golgi Apparatus to Yolk-formation in the Egg-cells of the Common Earthworm, Lumbricus terrestris, **69**, 291–316, pls. 18 and 10.

— (2) The Oogenesis of Lumbricus; a Re-statement, 74, 235-56, pl. 11.

HASWELL, W. A. Proboscis of the Syllidea, Part I. Structure, **65**, 323–38, pl. 15.

HAUGHTON, ISABEL. Note on the Amoeboid Elements in the Blood of Helix aspersa, 77, 157-66, pls. 9-10.

HAVILAND, M. D. (1) Bionomics and Development of Lygocerus testaceimanus, Kieffer, and Lygocerus cameroni, Kieffer (Proctotrypoidea-Ceraphronidae) parasites of Aphidius (Braconidae), 65, 101-28.

— (2) Bionomics and Post-embryonic Development of Certain Cynipid Hyperparasites of Aphides, **65**, 451–78.

— (3) On the Post-embryonic Development of Certain Chalcids, Hyperparasites of Aphides, with Remarks on the Bionomics of Hymenopterous Parasites in General, 66, 322–38.

HAWES, R. S. On the Eyes and Reaction to Light of Proteus anguinus, 86,

1-54, pl. 1.

Hayes, C. (1) An Account of Amoeba discoides; its Culture and Lifehistory, 80, 459-78, pls. 31, 32.

— (2) See Taylor (5).

— (3) Further Observations on Amoeba discoides, 87, 195-201.

HAYNES, F. See Carleton (4).

Head; Ascaphus a liopelmid frog, Pusey (2).

- plan, Kingsbury.

— Vertebrates, de Beer (1, 5, 6, 10–14).

— Xenopus, Paterson (2).

Head segments in Heterodontus and Amia, de Beer (4).

— in Rana and Ascalphus, Pusey (1, 2).

— in Scyllium, Goodrich (2).

— in Squalus acanthias, de Beer (1).

Heart, crustacea, innervation, Alexan-

drowicz (1, 2). Helix; blood, Haughton.

— germ-cells, Gatenby (5, 9).

Helix; spermatocytes, Beams (1).
— tissue culture, Gatenby (27, 28).

Hemiptera. See Heteroptera and Homoptera.

HENSON, H. (1) On the Development of the Mid-gut in the Larval Stages of Vanessa urticae (Lepidoptera), 73,

87-106, pl. 5.

— (2) The Structure and Post-embryonic Development of Vanessa urticae (Lepidoptera). I. The Larval Alimen-

tary Canal, 74, 321-60, pl. 14.

— (3) The Development of the Alimentary Canal in Pieris brassicae and the Endodermal Origin of the Malpighian Tubules of Insects, 75, 283—306, pl. 18.

Hepato-pancreatic glands in Indian Earthworms, Bahl (7).

Hermaphroditism; Isopod, Rhyscotus, Jackson.

— Syllid, Pionosyllis neapolitana n.sp., Goodrich (7).

Heronimus chelydrae, miracidium, Lynch.

Heterandria, viviparous fish development, Fraser (2).

Heterodontus, head, de Beer (4, 5).

Heteroptera; salivary glands, Baptist. See also Rhodnius, louse.

HICKLING, C. F. The Structure of the Otolith of the Hake (Merlucius), 74, 547-61, pls. 24, 25.

HICKMAN, V. V. On a New Prorhynchid Turbellarian from Tasmania, **76**, 257–68, pl. 18.

HICKSON, S. J. (1) On the Occurrence of Protohydra in England, **64**, 419–24.

— (2) On Gypsina plana and on The Systematic Position of the Stromatoporoids, **76**, 433-80, pls. 26, 27.

HILL, J. C. See Gatenby (26, 27). HILL, J. P. (1) Some Observations on the Early Development of Didelphys aurita (Contributions to the Embryology of the Marsupialia.—V), 63, 91-

139, pls. 6–9. — (2) See Gatenby (19).

— (3) and TRIBE, M. The early Development of the Cat (Felis domestica), 68, 513-602, pls. 24-9.

HILTON, IRENE F. The Oogenesis of Calanus finmarchicus, 74, 193 222, pls. 9, 10.

Hirudo and Hirudinaria, nephridia, Bhatia, 81, 27.

Histochemistry: golgi element, composition, Baker (3).

— lipine tests, Baker (2, 4).

- lipoids, fats, Nath (10).

- nucleic acids, Sanders.

— yolk-formation in hen's egg, Marza (2). Histology; alimentary tract, plaice, Dawes.

Apis and scorpions, Pavlovsky (4).
Connective tissue, formation of

ground substance, Jasswoin (2).

— Corals, Matthai.

— gastric mucosa Lim. (2).

— keratinization in malignant growth, Ludford (2).

- pituitary gland of skate, Howes.

— Sponges, Webb.

— Teleost scale, Neave.

- thyroid of sheep, Lowe.

Holomastigotoides, nucleus and axostyle, Mackinnon (4).

Holothuroidea; Cucumaria, development, Ohshima (1).

— Cucumaria and Chiridota, Gregarines, Pixell Goodrich (3, 5).

— Planktothuria, Gilchrist (4).

Homologies of muscles of visceral arches of fishes, Allis (2).

Homoptera; Aphides, hyperparasites of, Haviland (1-3).

— Dialeurodes, development of respiratory system, Roonwal.

- male genitalia, Singh-Pruth.

— Philaenus, genitalia, George, 72, 447; development, Metcalfe (2).

— Wax-glands of a Coccid, Pollister, **80**, 127.

Honey-bee; alimentary canal and ferments, Pavlovsky (4).

— determination of age, Pixell Goodrich (1).

— 'olfactory pores', Newton.

Hoplodactylus, ovary and corpus luteum, Boyd.

Hornung, E. S. Mitochondrial Behaviour during the Life-cycle of a Sporozoan (Monocystis), 73, 135-44, pl. 9.

HORST, C. J. VAN DER. (1) Metamerism in Enteropneusta, 73, 393-402.

— (2) Planctosphaera and Tornaria, 78, 605–14.

Howells, H. H. The Structure and Function of the Alimentary Canal of Aplysia punctata, 83, 357-97.

Howes, N. H. A Study of the Histology of the Pituitary Gland of the Skate, 78, 637–52, pls. 33, 34.

Husain, M. T. See Nath (5).

HUXLEY, J. S. (1) Note on an Amoebalike Parasite from Clavellina, 64, 413-

- (2) Further Studies on Restitutionbodies and Free Tissue-culture in Sycon, 65, 293-322, pls. 13, 14.

- (3) Studies in Dedifferentiation. II. Dedifferentiation and Resorption in Perophora, 65, 643-97, pls. 26-8.

- (4) and DE BEER, G. R. Studies in Dedifferentiation. IV. Resorption and Differential Inhibition in Obelia and Campanularia, 67, 473-96, pl. 26.

- (5) See de Beer (8).

Hydra, Marshall (1).

— development of nerve-net, McConnell. Hydrophilus, larva of a beetle, Pavlovsky

Hydropsyche anatomy, Glasgow.

HYMAN, L. H. Observations on Protozoa: I. The Impermanence of the Contractile Vacuole in Amoeba vespertilio. II. Structure and Mode of Food Ingestion of Peranema, 79, 43-56.

Hymenoptera; Bionomics of parasitic,

Haviland (3).

- Polyembryony in parasitic, Gatenby (7).

- Trichogramma, egg parasite of Donacia, idem (1–6).

- See also Apis, Chalcidae, Tenthredinidae.

Hyoid arch, Rays and Skates, de Beer (16).

Hyperidion thalassemae n.gen., n.sp., Mackinnon (6).

Hypophysis; craniate vertebrates, Goodrich (1).

— Petromyzon, and Amia, de Beer (2).

IMMS, A. D. (1) Observations on the Insect Parasites of Some Coccidae. II. On Chalcid Parasites of Lecanium capreae, 63, 293-374.

- (2) On the Antennal Musculature in Insects and other Arthropods, 81, 273-320.

IMMS, A. D. (3) On Growth Processes in the Antennae of Insects, 81, 585-93.

- (4) On the Constitution of the Maxillae and Labium in Mecoptera and Diptera, 85, 73-96.

Infusoria. See Ciliata.

Insecta; Antennae, Imms (3).

- Campodea, dorsal organ, Tiegs (5).

- Collembola, dorsal organ, Tiegs (4); tracheal system, Davies, 71, 15, Sikes.

- Goniodes, gametogenesis, Perrot. — mouth parts, Imms (4); larval, Das.

- rectal glands, chromatic droplets, Wigglesworth (3, 7).

- viviparous Psocid, Fernando (2).

- See Coleoptera, Diptera, Hemiptera, Hymenoptera, Lepidoptera, Orthoptera, Trichoptera.

Invertebrates; pseudopodia of leucocytes, Goodrich (3).

Ions on ciliary movement, Gray, 64,

Isopoda; Anilocra chromosomes, Cal-

- Gyge (Upogebia), Tucker.

- hermaphroditism, Jackson.

— Tegumental glands, Gorvett.

See also Asellus.

JACKSON, H. G. Hermaphroditism in Rhyscotus, a terrestrial Isopod, 71. 527-39.

JACOBSON, W. See Fell (4).

JAGT, E. R. VAN DER. The Origin and Development of the Anterior Lymph-Sacs in the Sea-Turtle (Thalassochelys caretta), 75, 151-64.

JAMESON, A. P. The Chromosome Cycle of Gregarines with Special Reference to Diplocystis schneideri Kunst-

ler, **64**, 207–66, pls. 12–15.

JANE, F. W. The Structure of the Somatic Chromosomes of Alstroemeria and Bomarea, 77, 49-76, pls. 2-4.

JASSWOIN, G. (1) On the Structure and Development of the Enamel in Mam-

mals, 69, 97-118, pl. 6.

- (2) On the Formation of the Ground Substance of Loose Connective Tissue, 78, 271-301, pl. 10.

JEPPS, M. W. (1) Contribution to the Study of Gromia oviformis, Dujardin, 70, 701-20, pls. 37-0.

EPPS, M. W. (2) On Kibisidytes marinus, n.gen., n.sp., and some other Rhizopod Protozoa found on Surface Films, 77, 121-8, pls. 5-6.

— (3) On the Protozoan Parasites of Calanus finmarchicus in the Clyde Sea Area, 79, 589–650, pls. 25–8.

Joenopsis polytricha, n.gen., n.sp., and J. Cephalotricha, n.sp., Cutler (2).

JOHN, C. C. Habits, Structure, and Development of Spadella cephaloptera, 75, 625-96, pls. 34-8.

KABURAKI, T. Terrestrial Planarians from the Islands of Mauritius and Rodrigues; with a Note upon the Canal connecting the Female Genital Organ with the Intestine, **65**, £29–56, pl. 4.

Kalotermes, flagellates, Kirby (2).

Kaloula borealis, embryonic olfac-

tory organ, Tsui (3-5).

KATER, J. McA. Reconstruction of Daughter Nuclei and the Individuality of Chromosomal Vesicles during Interkinesis, 72, 189–218, pls. 4, 5.

Keilin, D. (1) Pharyngeal or Salivary Gland of the Earthworm, **65**, 33–62,

pl. 3.

— (2) On the Calcium Carbonate and the Calcospherites in the Malpighian Tubes and the Fat Body of Dipterous Larvae and the Ecdysial Elimination of these Products of Excretion, 65, 611–26.

KERR, J. GRAHAM. Text-book of Embryology, Vol. II, Vertebrata, Review,

Goodrich (4).

Kerr, T. (1) Notes on the Development of the Germ-layers in Diprotodont

Marsupials, 77, 305-16.

— (2) On the Primitive Streak and Associated Structures in the Marsupial Bettongia cuniculus, 78, 687–715, pls. 41, 42.

-(3) On the Pituitary of the Perch (Perca fluviatilis), 83, 299-318,

pls. 16-17.

(4) The Development of the Pituitary of the Laboratory Mouse, 87, 3-29, pls. 1-3.

Kibisidytes marinus, n.gen., n.sp., from Surface Films, Jepps (2).

Kidney; Amphibian development, Gray (2-4).

- tubules of cat, MacManus.

See also under Teleostei.

King, S. D. (1) and Gatenby, J. B. The Golgi Bodies of a Coccidian, **67**, 381–90, pl. 21.

— (2) Cytological Observations on Haplosporidium (Minchinia) chitonis,

70, 147–58, pls. 14, 15.

— (3) Note on the Oogenesis of Peripatopsis capensis, Purcell, 70, 553-8.

— (4) Note on the Cytology of Anoplophrya brasili, 70, 693-700, pl. 36.

— (5) and GATENBY, J. B. Note on certain New Bodies in Opalina ranarum presumed to represent the Golgi Elements, 70, 217–20, pl. 21.

KINGSBURY, B. F., and ADELMANN, H. B. The Morphological Plan of the Head,

**68**, 239–86.

KIRBY, H. (1) Studies on some Amoebae from the Termite Microtermes, with Notes on some other Protozoa from the Termitidae, 71, 189–222, pls. 22–6.

— (2) A Species of Proboscidiella from Kalotermes (Cryptotermes) dudleyi Banks, a Termite of Central America, with Remarks on the Oxymonad Flagellates, 72, 355–86, pls. 21–4.

(3) Two Polymastigote Flagellates of the Genus Pseudodevescovina and Caduceia, 79, 309–36, pls. 12–16.

— (4) Polymastigote Flagellates of the Genus Foaina Janicki, and two New Genera Crucinymphia and Bullanympha, 81, 1-26, pls. 1, 2.

Kirtisinghe, P. The Myenteric Nerve-Plexus in some Lower Chordates, 81,

321-40

Krause, R., 'Enzyklopädie der Mikroskopischen Technik', Review, 79, 337.

Labial cartilages of Raia, Allis (1).

Labral glands of a Cladoceran, Cannon (3).

Lacertilia; lizard chrondrocranium, de
Beer (13). See also Calotes and Gecko.

Lagenophrys tattersalli sp.n. a
peritrichous ciliate, Willis, 83, 171.

LAING, JOYCE. On the Ptilinum of the
Blow-fly (Calliphora erythrocephala), 77, 497-521.

LAL, K. B. Cytoplasmic Inclusions in the Eggs of certain Indian Snakes, **76**, 243-56, pl. 17.

LAL, M. B. See Bahl (7).

Lamellibranchia; ciliary mechanisms, Atkins (3-9).

- gill musculature, idem (10).

- Mytilus gills, Bhatia, 70, 681.

- See Ostrea.

Lampito, nephridia, Bahl (4, 5).

Lankester, E. Ray. (1) The Terminology of Parthenogenesis, 63, 531-6.

— (2) Fifty years of his editorship of the 'Quarterly Journal of Microscopical Science', Bourne (2).

— (3) Scientific Work, Goodrich (9).

LAPAGE, G. (1) Cannibalism in Amoeba vespertilio (Penard), 66, 669-710, pls. 28, 29.

— (2) Notes on the Choanoflagellate, Codosiga botrytis, Ehrbg., 69,

471-508.

Lebistes, a viviparous cyprinodont fish, reproduction, Purser (2).

Lecanium, scale insect on hawthorn, &c., Imms (1).

LEE, A. BOLLES. (1) The Structure of certain Chromosomes and the Mechanism of their Division, 65, 1-32, pls. 1, 2.

— (2) Microtomist's Vade-mecum, eighth edition (review), **65**, 699.

— (3) The Chromosomes of Paris quadrifolia and the Mechanism of their Division, **69**, 1-26, pl. 1.

Leech; Centropygus from Brazil, Badham (3).

— nephridia, of Indian, Bhatia, 81, 27.

— parasitic on whiting, Badham (1). Lepidoptera; cytoplasmic inclusions in

germ-cells, Gatenby (3).

— development of male genitalia, Mehta,

35.Ephestia, alimentary canal and Malpighian tubules, Drummond.

— spermatogenesis, Bowen (1).

- Vanessa, mid-gut, Henson (1, 2).

- See also Pieris.

Lepidosiren; spleen development, Purser (1).

- egg cleavage, Miller.

Lepidosteus osseus, development of dermal bones in skull, Aumonier, 1.

Lepisma domestica, spermatogenesis, Gatenby (26).

Lernaeopoda, anatomy of female, Gray (1).

Leucocytes of Invertebrates, Goodrich (3).

LIM, R. K. S. (1) An Alcoholic Eosin and Methylene-Blue Staining Method, 63, 541-4.

— (2) The Gastric Mucosa, **66**, 187-

212, pl. 8.

Limnaea, gametogenesis, Gatenby (10). Lipine; histochemistry, Baker (2, 4).

— secretion in Elasmobranch Interrenal, Fraser, 73, 121.

Lipoids, fats, &c., microchemical tests, Nash.

Lithocystis cucumariae, n.sp., Pixell Goodrich (5).

Lizard, development of chondrocranium, de Beer (13).

Loligo; yolk-absorption and function of embryonic liver and pancreas, Portmann.

- spermatheca, van Oordt.

Loricata (Placophora), mantle cavity, Yonge (3).

Loris, ovary, Rao (2).

Louse, mouth-parts, Fernando (1).

- spermatogenesis, Cannon (1, 4); Doncaster (1).

Lowe, E. (1) The Embryology of Tubularia larynx (Allm.), 70, 599-628, pl. 31.

— (2) Variation in the Histological Condition of the Thyroid Glands of Sheep with regard to Season, Sex, Age, and Locality, 73, 437–64, pls. 24, 25.

— (3) Seasonal and Sexual Variation in the Thyroid Glands of Cats, **73**, 577–

94, pls. 35, 36.

Loxosoma obesum sp.nov., Athins (1).

Luciola, oogenesis, Nath (6).

Ludford, R. J. (1) The Behaviour of the Golgi Bodies during Nuclear Division, with Special Reference to Amitosis in Dytiscus marginalis, 66, 151-8.

— (2) Cell Organs during Keratinization in Normal Malignant Growth, **69,** 27–58, pls. 2–4.

— (3) See Rau.

Lumbricus; mitochondria, &c., Harvey (1).

- oocytes ultracentrifuged, Normington.

- oogenesis, Gatenby (23).

Lumbricus; oogenesis, Harvey (2).

- nephridiostome, Goodrich (11). - reproduction, Grove (1).

- See also Earthworms.

Lung, dust-cells, Carleton (5).

Lungfish. See Protopterus.

Lygocerus, parasite of Aphidius, Haviland (1).

Lymph-sacs of Turtle, van der Jagt.

LYNCH, J. E. The Miracidium of Heronimus chelydrae, MacCullum,

76, 13-34, pls. 3, 4.

MACBRIDE, E. W. (1) The Development of Echinocardum cordatum. Part II. The Development of the Internal Organs, 63, 259-82, pl. 19.

- (2) Note on Echinoid Larvae, 66, 149.

McConnell, C. H. The Development of the Ectodermal Nerve-Net in the Buds of Hydra, 75, 495-510, pls. 29-31.

MacDougall, M. S. (1) Cytological Observations on Gymnostomatous Ciliates, with a Description of the Maturation Phenomena in Diploid and Tetraploid Forms of Chilodon uncinatus, **69**, 361–84, pls. 23–33.

(2) The Conjugation of a Triploid

Chilodon, 73, 215-24.

Macdougald, T. J. See Gatenby (27). McIntosh, W. C. On Two Tubes of Polyodontes, and on the Discharge of the Ova in Thelepus, 68, 603-14, pl. 30. Mackinnon, D. L. (1) and Adam, D. I. (1) Notes on Four Astomatous Ciliates from Oligochaete Worms, 68, 211-28,

pl. 9.

-(2) and -(2) Notes on Sporozoa parasitic in Tubifex. I. The Life-history of Triactinomyxon Stole, 68, 187-210, pls. 6-8.

- (3) Observations on Trichonymphids. I. The Nucleus and Axostyle of Holomastigotoides hemigymnum Grassi (?), 70, 173-92, pls. 16, 17. — (4) II. The Structure of Micro-

spironympha elegans, n.sp., 71,

47-56, pl. 7.

- (5) and RAY, H. N. Observations on Dicystid Gregarines from Marine Worms, 74, 439-66, pls. 20, 21.

- (6) A New Protozoa, Hyperidion thalassemae n.gen., n.sp., from the Intestine of Thalassema neptuni, Gärtner, 74, 467-76, pl. 22.

Mackintosh, N. A. The Crystalline Style in Gastropods, 69, 317-42, pls.

MacManus, J. F. A. The Golgi Element in the Cells of the First and Second Convoluted Tubules of the Cat Kidney, 85, 95-105.

Madreporic vesicle, pulsation, Gemmill

Malignant growth; cell organs during keratinization in, Ludford (2).

Malpighian tubules; origin in insects, Henson (3).

— — peristalsis, Eastham (1).

Mammalia; innervation of adrenal glands, Willard.

- skin, Shapiro.

spermatozoa, Parkes.

- structure and development of enamel, Jasswoin (1).

- teeth, cetacean, Beddard.

- thymus, Deanesly (2).

Man, cytoplasmic inclusions in spermatogenesis, Gatenby (28).

Mandible; developmental mechanics, Fell (4).

— Osteichthyes, Haines (2).

Mandibular arch, in Anura, Pusey (1). MANN, I. C. The Pecten of Gallus

domesticus, 68, 413-42.

Mansour, K. (1) The Development of the Larval and Adult Mid-gut of Calandra oryzae (Linn.): The Rice Weevil, 71, 313-52, pls. 29-33.

— (2) Preliminary Studies on the Bacterial Cell-mass (Accessory Cell-mass) of Calandra oryzae (Linn.): The Rice Weevil, 73, 421-36, pls. 22, 23.

— (3) On the Intracellular Microorganisms of some Bostrychid Beetles,

77, 243-54, pls. 15-16.

(4) On the So-called Symbiotic Relationship between Coleopterous Insects and Intracellular Micro-organisms, 77, 255-72, pls. 17-18.

Mantle cavity of the Loricata, Yonge

Marshall, S. (1) Observations upon the Behaviour and Structure of Hydra, **67.** 593-616.

- (2) On Proterythropsis vigilans, n.sp., 69, 177-84, pl. 9.

Marsupialia; chromosomes, Altmann.

- Didelphys, development, Hill (1).

Marsupialia; germ-layers, Kerr (1, 2).

- male meiotic phase, Agar, Drummund, 76, 1.

- Perameles, placenta, Flynn (1).

- spermatogenesis, Greenwood.

MARZA, V. D. (1) and MARZA, E. V. The Formation of the Hen's Egg, Parts I-IV, 78, 133-89.

- (2) The Formation of the Hen's Egg, V. Histochemistry of Yolk-formation.

Proteins, 78, 191-250.

Mastigophora; Bodo, gamma-rays on, Robertson.

- Chilomonas, Gatenby (31).

- Codosiga, Lapage (2).

- Copromonas, Euglena, Gatenby (30, 31).

- Peranema Hyman, Brown, 73, 403.

- Proterythropsis, Marshall (2).

- Trypanosomes, mitochondria, Wot-

Matthai, G. Histology of the Soft Parts of Astraeid Corals, 67, 100-22, pls. 7, 8. Matthews, A. Development of Alcyonium digitatum and Early Colony Formation, 62, 43-94, pls.

Maturation; Chilodon, MacDougall (2). egg of Pediculus, Doncaster (1).

MAWSON, M. L., and YONGE, C. M. (2). The Origin and Nature of the Egg Membranes in Chirocephalus diaphanus, 80, 553-65.

Meckel's cartilage, in bony fishes,

Haines (2).

Mecoptera, mouth-parts, Imms (4). Medusa; a crawling, Gilchrist (4).

- Rhizostome with parasitic Actinian, Badham (2).

Meek, A. (1) Glossobalanus marginatus, a New Species of Enteropneusta from the North Sea, 66, 579-94.

- (2) The 'Segmentation Cavity' of the Egg of the Frog, 67, 33-8, pl. 1.

Megascolex, enteronephric nephridia and phagocytic organs, Bahl (13, 14, 16).

Mehra, H. R. (1) The Genital Organs of Stylaria lacustris, with an Account of their Development, 68, 147-86, pls. 4, 5.

- (2) The Atrium and the Prostate Gland in the Microdrili, 69, 399-444, pls. 35, 36.

MEHTA, D. R. (1) See Nath (6).

— (2) On the Development of the Male Genitalia and the Efferent Genital Ducts in Lepidoptera, 73, 35-62.

Melaniridosomes, in healing wounds of

Haemulidae, Smith, 76, 647.

Melibe, a nudibranchiate Agersborg (1).

Melicertidium (Leptomedusa), life-his-

tory, Gemmill (3).

MELLANBY, HELEN. (1) The Early Embryonic Development of Rhodnius prolixus (Hemiptera, Heteroptera), 78, 71-90, pl. 5.

- (2) The Later Embryology of Rhod-

nius prolixus, 79, 1-42.

Mesoglocal sphincter of Actiniaria,

Stephenson (1).

Metamorphosis, Anuran Jaw, Pusey (1). METCALFE, M. E. (1) The Structure and Development of the Reproductive System in the Coleoptera with Notes on its Homologies, 75, 49-130, pls. 7-

- (2) Notes on the Structure and Development of the Reproductive Organs in Philaenus spumarius L., 75, 467-

82, pls. 27, 28.

- (3) Notes on the Structure and Development of the Female Genital System in Dasyneura leguminicola Lint. (Cecidomyidae-Diptera), 76, 89-106, pls. 7, 8.

- (4) The Germ-cell Cycle in Phytophaga destructor Say, 77, 585-604,

pls. 29, 30.

METTEN, H. The Fate of Spermatozoa in the Female Dogfish (Scylliorhynus canicula), 84, 283-94, pl. 16.

MICHAELSEN, W. Oligochaeta

Sarawak, 77, 1, pl. 1.

Microciliobranchia, gill musculature, Atkins (10).

Microdrili; atrium and genital organs, Mehra (1, 2).

Microjoenia axostylis n.sp. (termites), Cutler (2).

Micronuclear variation in Paramoecium, Woodruff.

Microspironympha elegans n.sp. (termites). Mackinnon (4).

Microsporidial diseases of Gammarus, Pixell Goodrich (4).

Microtermes, amoebae in, Kirby (1).

Microtome, orientation of minute ob-

jects for the, Newth (2).

Microtomist's Vade-Mecum, A. Bolles Lee, eighth edition (review), Gatenby (13).

Milax, pedal gland, Barr.

MILLER, A. E. The Cleavage of the Egg of Lepidosiren paradoxa, **67**, 497–506.

Miracidium of Heronimus chely-drae, Lynch.

Mitochondria; Limnaea, Gatenby (10).

- Lumbricus, Harvey (1).

- Monocystis life-cycle, Hornung.

- sperm-tail formation, Nath (2).

— trypanosomes, Wotton.

Mitosis; behaviour of certain cell inclusions in Tenthredinidae, Peacock (2).

- oocyte, Obelia, Faulkner.

- plant cells, Frew.

- Stegomyia, Carter, 63, 375.

Modiolus, cultivation mantle, Gresson (9).

MOGHE, M. A. Development of the Mesonephros in a Teleostean—Thynnichthys sandkhol, 85, 129-52, pl. 6.

Mollusca; Cephalopoda, Lamellibranchia

cytology, Gatenby (26).
— effect of parasites on tissues, Agers-

borg (2).
— See also Gastropoda.

Morgan, W. DE. Foettingeria actiniarum (parasitic in Anemones), 68,

343-60, pl. 11.

MORISON, G. D. (1-3) The Muscles of the Adult Honey-bee (Apis mellifera L.), 71, 395-464 and 563-652 and 72, 511-26.

Mosquitoes, peritrophic membrane,

Wigglesworth (1).

Mouse; cytology, oocyte and ovum, Gresson (10, 11).

- cytoplasmic inclusions

oogenesis, Gresson (6).

— development of adrenal gland, War-

during

ing.
— development of pituitary, Kerr (4).
Mouth and enterostome, Goodrich (16).
Mouth-parts; development in head-

louse, Fernando (1).

— in Mecoptera and Diptera, Imms (4).
— musculature of Insect larvae, Das.

Moy-Thomas, J. A. (1) Notes on the Development of the Chondrocranium of Polypterus senegalus, 76, 209-30.

— (2) On the Teeth of the Larval Belone vulgaris, and the Attachment of Teeth in Fishes, **76**, 481–98, pl. 28.

Mucosa, gastric, Lim (2).

MUKERJI, R. N. See Gatenby (25).

Muliyil, J. A. (1) See Beams (1).

— (2) A Study of the Yolk (Y.-granules) of the Male Germ-čells, **78**, 513–31, pl. 27.

Muridae, sperms of British, Friend.

Murray, F. V. (1). See Tiegs (2).

— (2) and TIEGS, O. W. (1). The Metamorphosis of Calandra oryzae, 77, 405-95, pls. 23-7.

Muscles; Apis, Morison (1-3).

— Ceratodus development, Edgeworth. Musculature in Microciliobranchia gill, Atkins (10).

Myriapoda; embryology and affinities of Hanseniella, Tiegs (3, 6).

- oogenesis, Scolopendra, Nath (5).

- Scolopendra, Nina, Pixell Goodrich (6).

Mytilus, gills, Bhatia, 70, 681.

Myxine, supposed pancreas, Barrington (3).

Myxinoidea, spinal nerves, Goodrich (17). Myxosporidia; Development and relationships, Dumkerly.

NARASIMHAMURTI, N. The Development of Ophiocoma nigra, **76**, 63–88, pls. 5, 6.

NATH, V. (1) Egg-follicle of Culex, 69,

151-75, pls. 7, 8.

— (2) Mitochondria and Sperm-tail Formation, with Particular Reference to Moths, Scorpions, and Centipedes, **69**, 643–60.

— (3) See Gatenby, (22).

— (4) Studies in the Origin of Yolk. I. Oogenesis of the Spider, Crossopriza lyoni Blackwall, 72, 277–300.

— (5) and HUSAIN, M. T. Studies on the Origin of Yolk. II. Oogenesis of the Scolopendra, Otostigmus feae, Pocock, 72, 403-18.

— (6) and Mehta, D. R. Studies in the Origin of Yolk. III. Oogenesis of the Firefly, Luciola gorhami, 73, 7-24.

NATH, V. (7) Studies on the Shape of the Golgi Apparatus. II. Observations on the Fresh Egg of the Indian Earthworm, Pheretima posthuma, 73, 477-506.

- (8) See Bhatia, **74**, 669.

— (9) The Spermatid and the Sperm of the Crab, Paratelphusa spinigera, 75, 543-56.

— (10) Microchemical Tests for Fats, Lipoids, and Vacuoles with Special Reference to Oogenesis, **76**, 129–44.

NAVILLE, A. Le Cycle chromosomique d'une nouvelle Actinomyxidie: Guyénotia sphaerulosa n.gen., n.sp., 73, 547-76, pl. 32-4.

NEAVE, FERRIS. On the Histology and Regeneration of the Teleost Scale, 81,

541-68, pls. 30-3.

Nebenkern in Diestrammena, Wu.

NEEDHAM, A. E. (1) Some Points in the Development of Neomysis vulgaris, 79, 559-88, pls. 23, 24.

— (2) Abdominal Appendages in the Female and Copulatory Appendages in the Male Asellus, 81, 129-52.

- (3) Abdominal Appendages of Asellus, 83, 61-90.

— (4) The Structure and Development of the Segmental Excretory Organs of Asellus aquaticus (Linné), 83, 205–44.

— (5) Micro-anatomical Studies on Asellus, **84**, 49–72, pl. 2.

NEL, R. I. Studies on the Development of the Genitalia and the Genital Ducts in Insects. I. Female of Orthoptera and Dermaptera, 73, 25–86, pls. 2–4.

Nemertea, Stiasny-Wijnhoff (1, 2). Neomysis; development, Needham (1). Neosporidia; Actinomyxidian (Tubifex), Naville.

Haplosporidium (Chiton), King (2).Microsporidia (Gammarus), Pixell

Goodrich (4).

- Myxosporidia (Fish), Dunkerly.

— Triactinomyxon (Tubifex), Mackinnon (2).

Nephridia; Amphioxus, I. Hatschek's Goodrich (14); II. Paired, idem (15).

Asymmetron and Branchiostoma, idem (12).

— Earthworm, Indian, Bahl (1–17).

— and genital ducts since 1895, Goodrich (20).

Nephridia; Leech, Indian, Bhatia, 81, 27.

Nephridiostome; Lumbricus, Goodrich (11).

— Oligochaeta, Bahl (11).

Nerve endings, adrenal glands of mammals, Willard.

— modified gold chloride method of demonstrating, Gairns.

Nerve-fibres of Cephalopods, Young (4). Nuclear staining, Reburn.

Nerve-net in Hydra bud, McConnell.

Nerve-plexus, myenteric, in lower Chordates, Kirtisinghe.

Nerves, spinal, of the Myxinoidea, Goodrich (17).

Nervous system; Autonomic, Teleost, Young (1); Selachii, idem (3).

-- (enteric) of Amphioxus, Boeke.

— — Enteropneusta, Bullock.

Neuromotor system, Euplotes, Hammond.

Neurones; of Cephalopods, Cytology, Young (2).

— effect of ultra-centrifuge on, Brown, 79, 73.

- Golgi bodies of, Rau.

NEWELL, G. E., and BAXTER, E. W. On the Nature of the Free Cell-border of Certain Mid-gut Epithelia, 79, 123–50, pls. 6, 7.

NEWTH, H. G. (1) See Smith, **62**, 243.

— (2) On the Orientation of Minute Objects for the Microtome, **63**, 545–53.

— The Early Development of Astropecten irregularis, with Remarks on Duplicity in Echinoderm Larvae, 69, 519-54, pls. 40, 41.

NEWTON, H. C. F. On the So-called 'Olfactory Pores' in the Honey-bee, 74,

647-68, pls. 38, 39.

NICHOLSON, A. J. The Development of the Ovary and Ovarian Egg of the Mosquito, Anopheles maculipennis, Meig, 65, 395-450, pls. 17-20.

Nina; a remarkable Gregarine, Pixell Goodrich (6).

NORMINGTON, G. M. The Effects of Ultra-centrifuging the Oocytes of Lumbricus terrestris, 79, 471–86, pl. 17.

Nuclear division, Amoeba, Taylor (2–4).

— reconstruction, Kater.

Nucleic acids, tests, Sanders.

Nucleolar behaviour; oogenesis Tenthredinidae, Gresson (2).

- mitosis of plant-cells, Frew.

Nucleolinus, Carleton (1).

Nucleolus, origin and nature, Gardiner.

Nucleus; shape, Champy.

Nutritive and excretory substances in blood and coelomic fluid of earthworms, Bahl (17).

Obelia; oocyte division, Faulkner.

- resorption and inhibition, Huxley (4). Octochaetus; vascular system, Bleakly. — nephridia, Bahl (10).

ODHNER, T. Remarks on Sanguinicola,

68, 403-10.

Odontosyllis, Goodrich (13).

OHSHIMA, H. (1) Development of Cucumaria echinata v. Marenzeller, 65, 173-246, pls. 8, 9.

- (2) Larval Skeleton of Spatangus purpureus, 65, 479-92, pl. 21.

- (3) The Occurrence of Situs inversus among Artificially Reared Echinoid Larvae, **66**, 105–48.

OKADA, Yo K. Feeding Organs and Feeding Habits of Autolytus edwarsi St. Joseph (Studies on the Syllidae, I), 72, 219-46.

Olfactory Organ, Rana and Kaloula,

Tsui (1-5).

Oligochaeta: Ciliates in, Mackinnon (1).

- circulation, Bahl (2).

and hepato-pancreatic -- copulation glands, Bahl (6).

- Microdrili, Mehra (1, 2).

- Nephridia, Bahl (1, 3-5, 7-13).

— Sarawak, Michaelsen, 77, 1.

- Sporozoa in Tubifex, Mackinnon (2).

- vascular system of Octochaetus, Bleakly.

- See also Eisenia, Lampito, Lumbricus, Pheretima, Woodwardia.

Oocytes; Lumbricus, centrifuging, Normington.

- mouse, centrifuged, Gresson (10).

Oogenesis; Calanus, Hilton. - Crustacea, Bhatia, 74, 667.

- Firefly, Scolopendra, Spider other invertebrates, Nath (3-8).

- Lumbricus and other invertebrates, Gatenby (22), Harvey (2).

- microchemical tests for fats, with reference to, Nath (10).

Oogenesis; Mouse, Gresson (6).

- Peripatopsis, King (3).

- Tenthredinidae, Peacock, Gresson (1-4).

OORDT, G. J. VAN. The Spermatheca of Loligo vulgaris. I. Structure of the Spermatheca and Function of its Unicellular Glands, 80, 593-9, pl. 49.

Opalina, Golgi apparatus, King (5).

Ophiocoma, development, Narasimhamurti.

Ophiothrix fragilis, reproductive system, Smith, 82, 267.

Ophiuroidea; development, Fell (3).

- pulsation in madreporic oesicle, Gemmill (1).

- See also Ophiocoma, Ophiothrix.

Ornithorhynchus; gametogenesis, Gatenby (16).

- polar bodies and polyspermy, Gatenby

Orthoptera; development of genitalia, Nel. — of Stick-insect, Thomas, 78, 487.

See also Periplaneta.

Osmiophil material of flagellates, Smyth (2, 3).

Osteichthyes, mandible, Haines (2).

Osteocranium of just-hatched Calotes, Ramaswami.

Ostrea; amoebocytes, Takatsuki.

— sex-phases, Cole.

Otolith; hake, Hickling.

Otostigmus, oogenesis, Nath (5).

Ovary and Corpus luteum in a Gecko, Boyd.

- Loris, Rao (2).

Ovum; Echidna, Flynn (2).

- Echinodermata, changes in cytosome, Pelluet.

- grasshopper, Slifer (1, 2).

- growth in Dab, Wheeler.

- membranes in Chirocephalus, Mawson.

— mouse, Gresson (11).

— Ornithorhynchus, Gatenby (19).

— See also Egg.

Ovum-like bodies in seminiferous tubules, Crewe.

Oxnerella maritima, nov.gen., nov. spec., a new Heliozoon, Dobell.

PALMER, R. The Chromosome Complex of Gammarus chevreuxi, Sexton. I. Spermatogenesis, 70, 541-52, pl. 29.

Paludestrina; anatomy and affinities, Robson.

dimorphic spermatazoa, Paludina, Gatenby (9).

PAN, T.-H. See Tsui (3).

Pancreatic organs, Cyclostomata, Barrington (3).

Paramoecium; micronucleur variation, Woodruff.

Parasites. See Cestoda, Chalcidae, Trematoda and Sporozoa, Parasitic Diptera and Hymenoptera.

Parasitic, Actinian (Rhizostome), Bad-

ham (2).

-- Crustacea; Gyge (Upogebia), Tucker; Lernaeopoda, Copepod on dogfish, Gray (1); see also Cirripedia.

— Leech (Whiting), Badham (1).

— Protozoa. See under Protozoa, also the main classes, where parasites are followed by their hosts in brackets.

Parasitism; effect on tissues, especially Gastropod, Agersborg (2).

Paratelphusa spinigera, spermatid and sperm, Nath (9).

Paris quadrifolia; chromosomes, Lee

PARKES, A. S. Head Length Dimorphism of Mammalian Spermatozoa, 67, 617-

Parsons, C. W. (1) Some Observations on the Behaviour of Amoeba proteus, 70, 629-46.

— (2) The Conus Arteriosus in Fishes, 73, 145-76.

Parthenogenesis, Lankester (1).

— sex of a tadpole, Gatenby (2).

Paterson, Nellie F. (1) Observations on the Embryology of Corynodes pusis (Coleoptera, Chrysomelidae), 78, 91-132, pls. 6, 7.

- (2) The Head of Xenopus laevis,

81, 161-234, pls. 9-16.

PATTEN, RUTH (1), SCOTT, MARGARET, and GATENBY, J. B. The Cytoplasmic Inclusions of Certain Plant-cells, 72. 387-402, pl. 25.

- (2) and WIGODER, S. The Cytological Changes observable in Irradiated Bean Root-tips, 73, 633-50, pls. 38-40.

— (3) and BEAMS, H. W. Observations on the Effect of the Ultra-centrifuge on some Free-living Flagellates, 78, 615-36, pls. 30-2.

PAVLOVSKY, E. N. (1) On the Biology and Structure of the Laevae of Hydrophilus caraboides L., 66, 627-56,

— (2) Studies on the Organization and Development of Scorpions, 68, 615-40,

pls. 31-3.

- (3) Studies on the Organization and Development of Scorpions. 5. The Lungs, 70, 135-46, pls. 12, 13.

(4) and ZARIN, E. J. On the Structure of the Alimentary Canal and its Ferments in the Bee (Apis mellifera L.), 66, 509-56, pls. 15-17.

- (5) and ZARIN, E. J. On the Structure and Ferments of the Digestive Organs of Scorpions, 70, 221-62, pls. 22, 23.

PEACOCK, A. D. (1) and Gresson, R. A. R. The Role of the Nurse-cells, Oocytes, and Follicle-cells in Tenthredinid oogenesis, 71, 541-62.

- (2) and GREENSHIELDS, F. Note on the Behaviour of Certain Cell Inclusions during Mitosis in Tenthredinidae, 78, 303-9, pl. 11.

Pecten; neuro-muscular mechanism of gill, Setna.

- of Gallus eye, Mann.

PELLUET, D. A Quantitative Study of the Changes in the Cytosome of Eggs of the Echinodermata during Early Cleavage, 80, 285-92, pl. 27.

Perameles, placenta, Flynn (1).

Peranema, cytology, Brown, 73, 403.

- food ingestion, Hyman.

Percival, E. (1) On the Strobilization of Aurelia, 67, 85-100, pl. 6.

- Rhynchodemus britannicus, n. sp. A New British Terrestrial Triclad, with a Note on the Excretion of Calcium Carbonate, 69, 343-56.

Percy, M. Physophaga sappheira, n.g., n.sp., 73, 107-20, pl. 6.

Peripatopsis, oogenesis, King (3).

Peripatus; early development, Glen.

— eye of, Dakin (1).

- infra-cerebral organs, Dakin (2).

- spermatogenesis, Gatenby (20).

Periplaneta; cytology, Gresson (7).

- chromosome cycle of Diplocystis. Jameson.

- yolk-formation, Gresson (5).

Peristalsis in malpighian tubules, Eastham (1).

Perophora; dedifferentiation and resorption, Huxley (3).

PERROT, J. L. La spermatogenèse et l'ovogenèse du Mallophase Goniodes stylifer, 76, 353-78, pls. 23-5.

Petauroides, male meiotic phase, Agar.

Petromyzon; hypophysis, de Beer (2). - supposed pancreatic organs, Barrington, 85, 391.

Phagocytosis, Ostrea edulis, Takatsuki.

Phellünae, from New Guinea, Bourne

Pheretima; new type of nephridia in, Bahl (1, 3).

- blood-vascular system, Bahl (2).

Golgi apparatus in egg, Nath (7).

Philaenus, genitalia, George (1), Metcalfe (2).

Phoronis ovalis, Harmer.

Phoronopsis, transverse fission, Gilchrist (3).

Phrynomerus cranial characters, de Villiers (1).

Phylogeny, Chordata, Garstang (2).

Physeter; development of teeth, Bed-

Physophaga sappheira, n.g., n.sp., Percy.

Phytophaga, germ-cell cycle, Metcalfe (4).

Pieris; alimentary canal, Henson (3).

— Apanteles in larva of, Gatenby (11). - embryology, Eastham (2).

Pigments, animal, Fulton.

Pionosyllis neapolitana, n.sp., Goodrich (7).

Pisces: bony skulls, Sewertzoff.

- cestodes in, Woodland (2-7).

- conus arteriosus, Parsons (2).

- epiphysical growth in branchial skeleton, Haines (1).

- Lepidosteus, skull development, Aumonier.

- muscles of visceral arches, Allis (2).

- ossification, Haines (2).

- Polypterus, development of Chondrocranium, Moy-Thomas (1).

- reproduction of viviparous; Lebistes, Purser (2); Heterandria, Fraser

- tooth attachment, Moy-Thomas (2).

- See also Acipenser, Cyclostomata, Dipnoi, Selachii, Teleostei.

Pituitary gland; skate, histology, Howes. - mouse, development, Kerr (4).

— perch, Kerr (3).

PIXELL GOODRICH, H. (1) Determination of Age in Honey-bees, 64, 191-206, pl. 11.

— (2) See Goodrich, 65, 157.

- (3) Observations on the Gregarines of Chiridota, 69, 619-28, pl. 49.

-(4) Reactions of Gammarus to Injury and Disease, with Notes on some Microsporidial and Fungoid Diseases, 72, 325-54, pl. 20.

— (5) The Gregarines of Cucumaria; Lithocystis minchinii Woodc. and Lithocystis cucumariae, n.sp., 73,

275-88.

- (6) Nina: a Remarkable Gregarine, 81, 107-26, pl. 7.

Placenta in Perameles, Flynn (1).

Placodes and ophthalmic nerves, Beer (7).

Planarians; (Mauritius and Rodrigues) intestinal connexion with genital organ, Kaburaki.

— notes, Ullyott (2).

— reproductive system, Fyfe.

Planctosphaera, van de Horst (2).

Planktothuria diaphana, gen. et sp.n., Gilchrist (4).

Plant-cells, cytoplasmic inclusions, Pat-

Platyhelmia; Cestoda, Woodland (2, 4, 6, 7).

- Trematoda, Cercaria, Vickers. — Cryptocotyle, Cable (1, 2).

— — Heronimus (turtle), Lynch.

— — Schistosoma (bloodfluke), Severinghans. See also Sanguinicola and Turbellaria.

Pleuronectes; alimentary tract histology, Dawes.

— growth of egg, Wheeler.

— tail, Barrington (1).

POLLISTER, A. W. The Structure of the Golgi Apparatus in the Tissues of Amphibia, 81, 235-72, pls. 17-21.

POLLISTER, P. F. The Structure and Development of Wax Glands of Pseudococcus maritimus (Homoptera, Coccidae), 80, 127-52, pls. 17-20.

Arenicola, Polychaeta; gregarine, Goodrich (5).

- Polyodontes, tubes, McIntosh.

Polychaeta; Pomatoceros, development, Segrove.

- Sabellaria, chaetae, Ebling.

- Thelepus, ova, McIntosh.

- See also Chaetopteridae, Sabellidae, Syllidae.

Polyembryony in parasitic Hymenoptera, Gatenby (7).

Polyodontes, tubes, McIntosh.

Polypterus, development of Chondrocranium, Moy-Thomas (1).

Polyspermy, Ornithorhynchus, Gatenby (19).

Polystylifera, non-pelagic, Stiasny-Wijnhoff (2).

Polyzoa; Loxosomatidae of Plymouth area, Atkins (1).

— ciliary feeding mechanism, Atkins (2). Pontoscolex nephridia and 'safety valves', Bahl (12).

Porifera. See Sponges.

PORTMANN, AD., and BIDDER, ANNA M. Yolk-absorption in Loligo and the Function of the Embryonic Liver and Pancreas, 72, 301-24, pls. 13-19.

PRADHAN, S. The Alimentary Canal and Pro-epithelial Regeneration in Coccinella septempunctata with a Comparison of Carnivorous and Herbivorous Coccinellids, 81, 451–78.

Primitive streak in Marsupial, Bettongia, Kerr (2).

Proboscidiella kofoidi sp.nov., Kirby (2).

Proboscis; pores in Craniata, Goodrich (1).

Syllidae, Haswell.

Pronephros; Perch, Ströer.

— sturgeon, Fraser (1).

Prorhynchus putealis and P. has-welli, nov.spec., Steinboeck.

— tasmaniensis, sp.nov., a new Turbellarian, Hickman.

Prostate of Microdrili, Mehra (2).

Protandry in Teredo, Yonge (1).

Proterythropsis vigilans, n.sp., of Dinoflagellate, Marshall (2).

Proteus anguinus, eyes and reaction to light, Hawes.

Protodrilus, Goodrich (8).

Protohydra, an archaic Coelenterate, Hickson (1).

Protopterus; skin after induced Aestivation, Smith, 79, 487.

Protopterus; spleen development, Purser (1).

Protozoa: associated with Termites, Cutler (1-3), Kirby (1-4), Mackinnon (3, 4), Sutherland, 76, 145.

- chromosome cycle, Gregarines, Jame-

son.

— — Actinomyxidia, Naville.

— effect of ultra-centrifuge on, Patten (3), Daniels, Singh (2).

- Golgi element, Gatenby (22, 31, 32),

King (1, 2, 4, 5).

— irridation by Gamma-Rays (Bodo), Robertson.

— mitochondria, trypanosomes, Wootan.

— — Monocystis, Hornung.

— neuromotor system (Euplotes), Hammond.

- parasites of Calanus, Jepp (3).

— See also Rhizopoda, Ciliata, Mastigophora, Gregarina, Coccidia, Neosporidia.

Pseudococcus, wax-glands, Pollister, 80, 127.

Pseudodevescovina, Kirby (3).

Pseudopodia of leucocytes of invertebrates, Goodrich (3).

Pseudo-trichonympha, Cutler (3).

Psocid, early embryology of a viviparous, Fernando (2).

Ptilinum of blow-fly, Laing.

Purser, G. L. (1) The Early Development of the Spleen of Lepidosiren and Protopterus, 62, 231-41, pls. 15-17.

- (2) Reproduction in Lebistes reti-

culatus, **81,** 153-7, pl. 8.

Pusey, H. K. (1) Structural Changes in the Anuran Mandibular Arch during Metamorphosis, with reference to Rana temporaria, 80, 479-552, pls. 33-46.

— (2) On the Head of the Liopelmid Frog, Ascaphus truei. I. The Chrondrocranium, Jaws, Arches, and Muscles of a Partly-grown Larva, 84, 105–85, pls. 6–14.

105-85, pls. 6-14.
PYATAKOV, M. L. The Dorsal Organs of Argulus and their Relation to the Hatching of the Larva, 70, 159-71.

Pyefinch, K. A. (1) Baccalaureus maldivensis, a New Species of Ascothoracican, 77, 223-42.

— (2) The Internal Anatomy of Baccalaureus with a Description of a New Species, 78, 653-86, pls. 35-40. Pygopus; caudal autotomy and regeneration, Woodland (1).

Pyrenoids, Chilomonas, Gatenby (31).

Raia clavata, labial cartilages, Allis (1). RAMANNA, B. S. See Rao (1).

RAMASWAMI, L. S. The Chrondrocranium of Calotes versicolor (Daud.) with a Description of the Osteocranium of a Just-hatched Young, 87, 237-97.

Rana; development kidney, Gray (2-4).

— mandibular arch during metamorphosis, Pusey (1).

- nigromaculata, olfactory

development, Tsui (1-3).

— operculum and gill-chambers, Brock (2).

— See also Frog.

Rao, C. R. N. (1), and RAMANNA, B. S. The Formation of Archenteric and Segmentation Cavities of the Eggs of Engystomatid Frogs, 69, 731–44, pl. 55.

— (2) On the Structure of the Ovary and the Ovarian Ovum of Loris lydek-kerianus, Cabr., 71, 57-74, pls. 8, 9.

Rat, harderian gland, Duthie.

RAU, A. S., and LUDFORD, R. J. Variations in the Form of the Golgi Bodies during Development of Neurones, 69, 509–18, pl. 39.

RAY, H. N. See Mackinnon (1, 2).

REBURN, H. E. An Easy Way of Demonstrating the Nuclei of Nerve Fibres, 62, 217–19.

Regeneration; in Coccinella, Pradham. — tails of Gecko, &c., Woodland (1).

— tails of Gecko, &c., woodland (1)
— Teleost scale, Neave.

Parameter E. C. Chain

REISINGER, E. See Steinboeck. RENTON, RACHEL. See Fraser (2).

Reproduction; Eisenia, Grove (2).

- Heterandria, Fraser (2).

- Indian earthworms, Bahl (6).

- Lumbricus, Grove (1).

- viviparous fish; Lebistes, Purser (2). Reproductive system; Brittle-star, Smith, 82, 267.

— — Insecta, Metcalfe (1–3).

— — Planarian Artioposthia, Fyfe.

Resorption in Perophora, Huxley (3). Restitution bodies, and free tissue-culture in Sycon, Huxley (2).

Rhabdomonas costata, osmiophil material, Smyth (3).

Rhizopoda; on surface films, Jepps (2).

- Arcella, Bles.

- Gromia, Jepps (1).

— Oxnerella, nov.gen. of Heliozoa, Dobell.

- See also Amoebae.

Rhizostoma with parasitic Actinian, Badham (2).

Rhodnius; development, Mellanby (1, 2).

— ecdysis, Wigglesworth (4-6).

- egg, Beament.

Rhynchodemus britannicus, n.sp.; a triclad, Percival (2).

Rhyscotus, hermaphroditism, Jackson.

ROBERTSON, M. The Effect of Gamma-Ray Irradiation upon the Growth of a Protozoon, Bodo caudatus, 75, 511-42.

ROBSON, G. C. On the Anatomy and Affinities of Paludestrina ventrosa,

Montague, 66, 159-86.

ROONWAL, M. L. On the Post-embryonic Development of the Respiratory System of Dialeurodes dissimilis (Homoptera, Aleurodidae), 77, 605–22.

Rosette gland in land Isopoda, Govett.

Sabella and Spirographis, blood systems, Ewer.

Sabellaria alveolata, opercular chaetae, Ebling.

Sabellidae; Branchiomma, development, Wilson.

- blood systems, Ewer.

Saccocirrus; gametogenesis, Gatenby (15).

Sacculina, life-history, Day.

Salivary glands of Hemiptera-Heteroptera, Baptist.

Salmo; thymus, Deanesly (1).

- chondrocranium, de Beer (12).

Sanders, F. K. Cytochemical Differentiation between the Pentose and Desoxypentose Nucleic Acids in Tissue Sections, 87, 203-8, pl. 7.

Sanguinicola, from the Sudan, Wood-

land (3, 5).

— Odhner. Sarawak, oligochaeta, Michaelsen.

Schistosoma, sex, Severinghaus.

Scorpion, organization and development, Pavlovsky (2, 3, 5).

Scott, Margaret. See Patten (1).

Scylliorhynus, spermatozoa, Metten. Scyllium; development of skull, de Beer (14, 15).

- segments of head, Goodrich (2). Sea-Turtle, lýmph sacs, van de Jagt.

Segrove, F. The Development of the Serpulid Pomatoceros triqueter L., 82, 467-540.

Selachii; cartilages and muscles, Allis (1, 2).

- Heterodontus, de Beer (4, 5).

- Hyoid Arch, de Beer (16).

— nervous system autonomic, Young (3).

- pituitary gland of skate, Howes.

- Scylliorhynus; spermatazoa, Met-

— — Copepod parasitic on, Gray (1).

- Squalus; segmentation of Head, de Beer (1).

- Torpedo, skull, de Beer (11).

See also Scyllium.

Septobasidium relationship with Aspidiotus, Couch.

SETNA, S. B. The Neuro-muscular Mechanism of the Gill of Pecten, 73, 365-92, pls. 16-18.

SEVERINGHAUS, A. E. Sex Studies on Schistosoma japonicum, 71, 653-

702, pls. 43-6.

SEWERTZOFF, A. N. Studies on the Bony Skull of Fishes. I. Structure and Development of the Bony Skull of Acipenser ruthenus. II. Primary Structure of the Bony Skull of Fishes, 70, 451-540.

Sex in Infusoria, Dogiel (1).

— in Schistosoma, Severinghaus.

- of tadpole raised by artificial parthenogenesis, Gatenby (2).

Sex-determination in Abraxas, Doncaster (2).

Sex-intergrade Pigs, Baker (1).

Sex-phases in Ostrea edulis, Cole.

Shapiro, B. On the Epithelial Fibres in the Skin of Mammals, 68, 101-45, pl. 3. Sheep, thyroid glands, Lowe (2).

Siboganemertes weberi, n.g., n.sp., Stiasny-Wijnhoff (1).

SIKES, ENID K., and WIGGLESWORTH, V. B. The Hatching of Insects from the Eggs, and the Appearance of Air in the Tracheal System, 74, 165-02.

Sillago, Australian Sand Whiting parasitized by leech, Badham.

Siluroididia; cestodes of, Woodland (6). SIMKINS, C. S., and ASANA, J. J. Development of the Sex Glands of Calotes. I. Cytology and Growth of the Gonads prior to Hatching, 74, 133-50, pls. 4-6.

Simocephalus; labral glands and mode of feeding, Cannon (2).

- summer egg, Cannon (1).

SINGH, B. N. (1) See Gatenby (30).

- (2) The Cytology of Amoeba proteus 'y' and the Effects of Large and Small Centrifugal Forces, 80, 601-35, pls. 50-1.

— (3) and BOYLE, W. The Vitellogenesis of Gasterosteus aculeatus (the Stickleback) investigated by the Ultra-centrifuge, 81, 81-106, pls. 3-6.

SINGH-PRUTHI, H. The Development of the Male Genitalia of Homoptera, with Preliminary Remarks on the Nature of these Organs in other Insects, 69, 59-96, pl. 5.

Siphonophora, morphology and relationships, Garstang (4).

Situs inversus among Echinoid larvae, Ohshima (3).

Skin, mammals, Shapiro.

- Polypterus, Smith, 79, 487.

Skull development; fish, Berrill, de Beer (9-12, 14, 15).

- Acipenser, Sewertzoff.

- Lepidosteus, Aumonier. — Leptodeira (Snake), Brock (1).

- Polypterus, Moy-Thomas (1).

SLIFER, E. H. (1) The Origin and Fate of the Membranes surrounding the Grasshopper Egg; together with some Experiments on the Source of the Hatching Enzyme, 79, 493-506, pls. 18-20.

— (2) The Formation and Structure of a Special Water-absorbing Area in the Membranes covering the Grasshopper Egg, 80, 437-58, pl. 30.

Sminthurus, tracheal system, Davies.

SMITH, G. M. (1) The Formation of Melaniridosomes in healing Wounds of Haemulidae, **76**, 647–54.

- (2) and COATES, C. W. On the Histology of the Skin of the Lungfish Protopterus annectens after experimentally induced Aestivation, 79, 487-92.

SMITH, J. E. (1) The Early Development of the Nemertean Cephalothrix rufifrons, 77, 335-82, pls. 21-2.

— (2) The Reproductive System and

Associated Organs of the Brittle-star Ophiothrix fragilis, 82, 267-310.

SMITH, K. M., and NEWTH, H. G. A note concerning the Collar Cavities of the Larval Amphioxus, 62, 243-51, pl. 18.

SMYTH, J. D. (1) See Gatenby (32).

- (2) Structure and Osmiophilic Inclusions of Astasia harrisii, 117-28, pls. 4, 5.

-(3) Morphology of the Osmiophil Material of Rhabdomonas costata, and its Behaviour during Division, 85.

329-41.

Snakes; Golgi element in erythrocytes, Bhattcharya.

— inclusions in eggs, Lal, **76**, 243. — Leptodeira skull, Brock (1).

Spadella cephaloptera, John.

SPALDING, J. F. The Nature and Formation of the Spermatophore and Sperm Plug in Carcinus maenas, 83, 399-422.

Spatangus; larval skeleton, Ohshima (2).

Spermatheca, Loligo, van Oordt.

Spermatid and sperm of Crab, Nath (9). Spermatocytes Helix, ultra-centrifuging, Beams (1).

Spermatogenesis; Diestrammena,

Wu.

— Gammarus, Palmer.

— Lepidoptera, Bowen (1).

- Lepisma, Gatenby (25).

— Man, idem (28). — Marsupials, Agar, Drummond, **76,** 1, and Greenwood.

- Moths, scorpions, and centipedes,

Nath (2).

- Pediculus, Doncaster (1), Cannon

(1, 4).

- Peripatus, Gatenby (20).
- Pulmonates, idem (5, 8).

Spermatophore and sperm plug in

Carcinus, Spalding. Spermatozoa; atypical of Moths, Gatenby (4).

- Cavia, golgi element, Gatenby (14).

— crab, Nath (9). - dimorphic, Paludina, Gatenby (9). Spermatozoa; fate of, in female dogfish, Metten.

– mammalian, Parkes.

— Muridae, Friend.

— Y-granules, Muliyii (2).

Sphenodon; caudal autotomy and regeneration, Woodland (1).

— germ-cells, Tribe (2).

Spider, oogenesis, Nath (4).

Spirostomum, Bishop (1-3).

Spleen, early development Lepidosiren and Protopterus, Purser (1). Sponges; form in relation to currents, Bidder.

— gametogenesis and fertilization, Gatenby (23).

histology, cytology, and embryology,

spicules and symbiosis, Dendy.

— Sycon, Huxley (2).

Sporozoa. See Gregarina, Coccidia, Neosporidia.

Stegomyia, mitosis, Carter, 63, 375.

STEINBOECK, O., and REISINGER, E. On Prorhynchus putealis, Haswell, with a Description of a New Species of the Genus, **68**, 443–52.

Stenophylax, spermatogenesis, Gres-

son (8).

STEPHENSON, J. On the So-called Pharyngeal Gland-cells of Earthworms, **62**, 253–86, pl. 19.

STEPHENSON, T. A. (1) On the Classification of the Actiniaria. Part I. Forms with Acontia and Forms with a Mesoglocal Sphincter, 64, 425-574, pl.

- (2) Part II. Consideration of the Whole Group and its Relationships, with special reference to Forms not treated in Part I, 65, 493-576.

- (3) Part III. Definitions connected with the Forms dealt with in Part II,

66, 247-321.

STIASNY-WIJNHOFF, G. (1) On Brinkman's System of the Nemertea Enopla and Siboganemertes weberi, n.g., n.sp., **67**, 627–69.

— (2) Some Remarks on North Atlantic Non-Pelagic Polystylifera, 77, 167-90, pls. 11-13.

Stomatophora, Bhatia, 68, 481.

Stomatopoda, innervation of heart, Alexandrowicz (2).

STRANGEWAYS, T. S. P., and CANTI, R. G. 'The Living Cell in vitro as shown by Dark-ground Illumination and the Changes induced in such Cells by Fixing Reagents, 71, 1-14, pls. 1-5. Strobilization of Aurelia, Percival (1).

STRÖER, W. F. H. The Development of the Pronephros in the Common Perch (Perca fluviatilis L.), 75, 557-70, pl. 33.

Stromatoporoids, systematic position, Hickson (2).

Sturgeon. See Acipenser.

Stylaria; genital organs, Mehra (1).

Subramaniam, M. K. Studies on the Structure of the Golgi Apparatus, IV. Endostyle of Branchiostoma indicum, 81, 429-50, pl. 25.

Sudan; Caryophyllaeidae, Woodland (3).
— Sanguinicola, Woodland (2, 5); Odher.
SUTHERLAND, J. L. Protozoa from
Australian Termites, 76, 145–74.

Sycon; tissue culture, Huxley (2). Syllidae; Autolytus, Okada.

- Odontosyllis, Goodrich (13).

- Pionosyllis neapolitana, n.sp. (hermaphrodite), Goodrich (7).

— proboscis, Haswell.

Symbiosis (Sponges), Dendy.

Symphyla, post-embryonic development of Hanseniella, Tiegs (6).

Tachyglossus. See Echidna.

Tadpole sex by artificial parthenogenesis, Gatenby (2).

Tails; autotomy and regeneration in Gecko, Woodland (1).

TAKATSUKI, S. On the Nature and Functions of the Amoebocytes of Ostrea edulis, **76**, 379–432.

Taylor, M. (1) The Chromosome Complex of Culex pipiens. Part II. Fertilization, **62**, 287–301, pl. 20.

— (2) Nuclear Divisions in Amoeba proteus, **67**, 39–46, pl. 2.

— (3) Amoeba proteus: some New Observations on its Nucleus, Lifehistory, and Culture, **69**, 119–50.

— (4) The Development of the Nucleus of Amoeba proteus, 71, 239-58, pl. 28.
— (5) and HAYES, C. Amoeba lescherae n.sp. Its Morphology, Cytology, and Life-history, 84, 295-328, pl. 17.

TAZELAAR, MARIA A. The Effect of a Temperature Gradient on the Early Development of the Chick, 72, 419–46, pl. 26.

Teeth, larval Belone and attachment of fish teeth, Moy-Thomas (2).

— Physeter development, Beddard. Teleostei; Agriopus ecdysis, Gilchrist (5).

— Cod and plaice, tail, Barrington (1).

— Haemulidae, melaniridosomes, Smith, **76**, 647.

— Hake, enamel organ, Carter, 63, 387.

— — otolith, Hickling.

— Perca, development of pronephros, Ströer.

— — pituitary, Kerr (3).

— Salmo, development of chondrocranium, de Beer (12); thymus, Deanesley (1).

— Scale, Neave.

— Sillago, a sand whiting, Badham (1).

— sole and plaice, skull, Berrill.

— Thynnichthys, development of mesonephros, Moghe.

— Uranoscopus, autonomic nervous system, Young (1).

— vitellogenesis, Gasterosteus, Singh (2).

— See also Pleuronectes.

Tenthredinidae; cell inclusions during mitosis, Peacock (1, 2).

— oogenesis, Gresson (1–4). Teredo, protandry, Yonge (1).

Termitidae, protozoa of, Cutler (1-3), Kirby (1-4), Mackinnon (3, 4), Sutherland.

Testacella, giant germ-nurse cells, Gatenby (9).

Testes of sex-intergrade Pigs, Baker (2). Thalassochelys caretta, sea-turtle, lymph-sacs, van der Jagt.

Thelepus; discharge of ova, McIntosh. Thomas, A. J. The Embryonic Development of the Stick-insect. Carausius morosus, 78, 487–511, pls. 25, 26.

THOMAS, H. J. Tegumental Glands in the Cirripedia Thoracica, 84, 257-82.

THORPE, W. H. The Biology and Development of Cryptochaetum grandicorne (Diptera), an Internal Parasite of Guerinia serratulae (Coccidae), 77, 273-304.

Thymus; fish, Deanesly, 113.

— histology in mammals, Deanesly (2). Thyroid gland; variation in sheep and cats, Lowe (2, 3).

Tiegs, O. W. (1) See Murray.

— (2) and Murray, F. V. The Embryonic Development of Calandra oryzae, 80, 159–284, pls. 21–6.

— (3) The Embryology and Affinities of the Symphyla, based on a study of Hanseniella agilis, 82, 1–225, pls.

I-9.

— (4) 'Dorsal organ' of Collembolan Embryos, 83, 153–70, pl. 11.

— (5) The 'Dorsal Organ' of the Embryo of Campodea, 84, 35–47, pl. 1.

— (6) The Post-embryonic Development of Hanseniella agilis (Symphyla), 85, 191–328, pls. 7–12.

Tissue culture; Strangeways.

—— Helix, Gatenby (26, 27).

— — Modiolus mantle, Gresson (9).

— — Sycon, Huxley (2).

Tonoscolex, nephridial system, Bahl

Tornaria, van de Horst (2).

— ciliary feeding mechanism, Garstang

Torpedo, development of Skull, de Beer (11).

Trabecula cranii, de Beer (15).

Tracheal system; appearance of air, Sikes. Travoscolides, nephridia, Bahl (16).

Trematoda: Cerceria, Vickers. Cryptocotyle, Cable (1, 2). Miracidium of Heronimus, Lynch.

- Schistosoma, sex, Severinghaus. See

also Sanguinicola.

Triactinomyxon, Mackinnon (2).

TRIBE, M. (1) See Hill (3).

— (2) and Brambell, F. W. R. The Origin and Migration of the Primordial Germ-cells of Sphenodon punctatus, 75, 251–82, pls. 16, 17.

Trichogramma, development in egg

of Donacia, Gatenby (1).

— segregation of the germ-cells, idem (6). Trichonymphids and other flagellates from termites, Mackinnon (3, 4), Kirby (1-4), Cutler (1-3), Sutherland.

Trichoptera; development of female

genital ducts, Dodson.

spermatogenesis of Stenophylax, Gresson (8). Tricladida; Rhynchodemus, Percival (2).

— prevention of self-fertilization, Ullyott
(1).

Tsui, C.-L. (1) Development of Olfactory Organ in Rana nigromacu-

lata, 87, 61-90.

— (2) Morphological Observations on the Fate of the Lateral Appendix in the Embryonic Olfactory Organ of Rana nigromaculata, 87, 91–101.

— (3) and PAN, T.-H. The Development of the Olfactory Organ of Kaloula borealis (Barbour) as compared with that of Rana nigromaculata, Hallowell, 87, 299–316.

 (4) The Effect of the Removal of the Lateral Appendix in the Embryonic Olfactory Organ of Kaloula borealis,

Barbour, 87, 373-84.

— (5) The Effect of the Removal of the Anterior Lower Sac on the Lateral Appendix in the Embryonic Olfactory Organ of Kaloula borealis, Barbour, 87, 385-91, pls. 8, 9.

Tubifex; Sporozoa, Mackinnon (2). Tubularia, embryology, Lowe (1).

Tucker, B. W. On the Effects of an Epicaridan Parasite, Gyge branchialis, on Upogebia littoralis, 74, I-I18, pls. 1, 2.

Tumour cells, Da Fano.

Tunicata; blood, George, 81, 391.

-- morphology and phylogeny, Gar-

stang (2).

Turbellaria; Prorhynchus, Steinboeck.
— a new prorhynchid, Hickman. See also Artioposthia and Rhynchodesmus.
Turtle, lymph sacs, van der Jagt.

UHLENHUTH, E. The Golgi Apparatus in the Thyroid Gland of Amphibians in its Relation to Excretion Polarity, 76, 615–46, pl. 36.

ULLYOTT, P. (1) and BEAUCHAMP, R. S. A. Mechanisms for the Prevention of Self-fertilization in some Species of Freshwater Triclads, 74, 477–90, pl. 23.

— (2) Notes on Planaria vitta, Dugés,

75, 483-94.

Ultra-centrifuge effect of, on spermatocytes of Helix, Beams (1).

on free-living Flagellates, Patten (3).
on Gregarines, Tenebrio, Daniels.

— on oocytes, Lumbricus, Norrington.

Ultra-centrifuge effect of, on stickleback

vitell ogenesis, Singh (3).

— on vertebrate neurones, Brown, **79**, **73**. Upogebia with epicaridan parasite, Tucker.

Uranoscopus; autonomic nervous system, Young (1).

Uterine glands, Aykroyd.

Vanessa, development of mid-gut, Henson (1, 2).

Vasa efferentia, Rana development,

Gray (3).

Vertebrate head, Kingsbury; de Beer (6, 10); Goodrich (1, 2); Paterson (2); Pusev (2).

VICKERS, G. G. On the Anatomy of Cercaria macrocerca from Sphaerium corneum, 82, 311-26, pls. 11-12.

VILLIERS, C. G. S. DE. (1) On the Cranial Characters of the South African Brevicipitid, Phrynomerus bifasciatus, 73, 667-705.

— (2) The Cranial Characters of the Brevicipitid Genus Cacosternum

(Boulenger), 74, 275-302.

Visceral arches of gnathostome fishes, Allis (2).

Vitellogenesis, stickleback, investigated by ultra-centrifuge, Singh (3).

Waring, H. The Development of the Adrenal Gland of the Mouse, **78**, 329–66, pls. 14–18.

Wax-glands, structure and development in a Coccid, Pollister, 80, 127.

Webb, D. A. The Histology, Cytology, and Embryology of Sponges, **78**, 51–70. Weevil. See Calandra.

Wenyonia, n.g. Cestodaria, Woodland (4).

Wertheim, P. The Revision, Systematic Position, and Origin of Diplodinium (Polyplastron) multivesiculatum and Diplodinium (Polyplastron) bubali, 78, 31-50.

WHEELER, J. F. G. The Growth of the Egg in the Dab (Pleuronectes limanda), 68, 641-60, pls. 34, 35.

WIGGLESWORTH, V. B. (1) The Formation of the Peritrophic Membrane in Insects, with Special Reference to the Larvae of Mosquitoes, 73, 593-616.

- (2) See Sikes.

WIGGLESWORTH, V. B. (3) On the Function of the so-called 'Rectal Glands' of Insects, 75, 131-50.

— (4) The Physiology of the Cuticle and of Ecdysis in Rhodnius prolixus (Triatomidae, Hemiptera); with Special Reference to the Function of the Oenocytes and of the Dermal Glands, 76, 269–318.

— (5) The Physiology of Ecdysis in Rhodnius prolixus (Hemiptera). II. Factors controlling Moulting and 'Metamorphosis', 77, 191–222, pl. 14.

— (6) The Function of the Corpus Allatum in the Growth and Reproduction of Rhodnius prolixus (Hemiptera), 79, 91–122, pls. 4, 5.

- (7) Significance of 'Chromatic Droplets' in the growth of Insects, 83, 141-52.

WIGODER, S. See Patton (2).

WILLARD, DOROTHY M. The Innervation of the Adrenal Glands of Mammals; a Contribution to the Study of Nerveendings, 78, 475–85, pl. 24.

WILLIS, A. G. Studies of Lagenophrys tattersalli, sp.n. (Ciliata Peritrichae Vorticellinae). Part I. Structure, Asexual Reproduction and Metamorphosis, 83, 171-96, pls. 12-13.

Wilson, D. P. The Development of the Sabellid Branchiomma vesiculo-

sum, Montagu, 78, 543-604.

WOODGER, J. H. (1) See Gatenby (14).
— (2) Observations on the Origin of the Germ-cells of the Fowl (Gallus domesticus), studied by means of their Golgi bodies, 69, 445-62.

WOODLAND, W. N. F. (1) Observations on Caudal Autotomy and Regeneration in the Gecko (Hemidactylus flaviviridis, Rüppel), with Notes on the Tails of Sphenodon and Pygopus, 65, 63–100.

— (2) On Amphilina paragonopora, sp.n., and a hitherto undescribed Phase in the Life-history of the Genus, 67, 47-84, pls. 3-5.

- (3) Sanguinicola from the Sudan, 67,

233-42, pl. 18.

— (4) On Some Remarkable New Forms of Caryophyllaeidae from the Anglo-Egyptian Sudan, and a Revision of the Families of the Cestodaria, **67**, 435–72, pls. 24, 25.

WOODLAND, W. N. F. (5) Note on Sanguinicola from the Sudan: A Correction,

68, 411-12.

- (6) On some Remarkable New Monticellia-like and other Cestodes from Sudanese Siluroids, 69, 703-46, pls. 53,

- (7) On the Anatomy of some Fish Cestodes described by Diesing from the Amazon, 76, 175–208, pls. 11–16.

Woodruff, L. L. Micronuclear Variation in Paramoecium busaria, 74, 537-46.

Woodwardia, enteronephric system,

Bahl (5).

WOTTON, R. M. A Study of the Mitochondria of Trypanosomes, 82, 261-6,

pl. 10.

Wu, C.-C. On the Origin of the Acrosome and the Behaviour of the Nebenkern in Diestrammena, sp., 87, 31-43, pls. 4-6.

Xenopleura vivipara, g. et sp.n., Gilchrist (6).

Xenopus, head, Paterson (2).

Yolk: absorption in Loligo, Portmann. - Crustacean oogenesis, Bhatia, 74, 669.

Yolk: formation, histochemistry in hen's egg, Marza (2).

- formation in Lumbricus, Harvey (1).

— — Periplaneta, Gresson (5).

— — Tenthredinidae, Gresson (3).

— origin in Firefly, Nath (6). — — Spider, Nath (4).

- (Y.-granules) of male germ cells, Muliyil (2).

Yonge, C. M. (1) Protandry in Teredo norvegica, 70, 391-4.

— (2) See Mawson.

- (3) On the Mantle Cavity and its Contained Organs in the Loricata (Placophora), 81, 367-90.

- (4) Ciliary Currents in the Mantle Cavity of the Atlantidae, 83, 197–204. Young, J. Z. (1) On the Autonomic Nervous System of the Teleostean Fish Uranoscopus scabes, 74, 491-536.

— (2) On the Cytology of the Neurons of Cephalopods, 75, 1–48, pls. 1–6.

— (3) The Autonomic Nervous System of Selachians, 75, 571-624.

— (4) The Giant Nerve-fibres Epistellar Body of Cephalopods, 78, 367-86.

ZARIN, E. J. See Pavlovsky (4, 5). Zygoptera, genitalia, George, 72, 447. PRINTED IN
GREAT BRITAIN
AT THE
UNIVERSITY PRESS
OXFORD
BY
CHARLES BATEY
PRINTER
TO THE
UNIVERSITY